



# Our LED Lighting Solutions

*Your Optimal Visibility and Safety*



*Your Expert in Parts*

# Our Lighting Program - Your Bright Business

HC-CARGO offers a wide range of innovative lighting products.

Innovative in regards to

- brightness
- lifetime (long lasting)
- power consumption (economical)

Products both for interior and exterior vehicle lighting fulfil the strictest legal safety regulations.

Regular product testing and supplier audits ensure the quality and durability of HC-CARGO lighting products.

The range is continuously extended with the latest state-of-the-art products in the market, for example:

- LED Bulbs
- Rotating beacons
- Rear multi-function lamps
- Work lamps
- LED lamps
- Light bars



HC-CARGO 172211



HC-CARGO 172273



HC-CARGO 172308

## HC-CARGO Amber LED Beacons

The essential features for road safety awareness are reliability and luminosity. This describes the HC-CARGO beacon range. HC-CARGO beacons are

available in various designs and sizes, and come with permanent or magnetic mount bases.

### Amber LED Beacons

| HC-CARGO no. | Voltage | Amp     | Watt  | Approval                      | Mounting                        | Bulb type | Cable length mm | Flash patterns | Height mm      | Tightness norm |
|--------------|---------|---------|-------|-------------------------------|---------------------------------|-----------|-----------------|----------------|----------------|----------------|
| 172027       | 10-30   | 1.5     | 18    | ECE-R10/ECE-R65               | Lighter Socket/Magnetic/vacuum  | 80 LED    | 200             | 3              | 195 x Ø140     | IP 65          |
| 172028       | 10-30   | 1.5     | 18    | ECE-R10/ECE-R65               | Plan/Vacuum                     | 80 LED    | 95              | 3              | 195 x Ø140     | IP 65          |
| 172029       | 10-30   | 1.5     | 18    | ECE-R10/ECE-R65               | Standard ISO A - Rod/Rigid      | 80 LED    |                 | 3              | 235 x Ø128     | IP 65          |
| 172099       | 10-30   | 0.4-1.4 | 9     | ECE-R10/ECE-R65               | Standard ISO A - Rod/Flexible   | 40 LED    |                 | 3              | 240 x Ø140     | IP 65          |
| 172100       | 10-30   | 0.4-1.4 | 9     | ECE-R10/ECE-R65               | Plan                            | 40 LED    | 95              | 3              | 150 x Ø140     | IP 65          |
| 172101       | 10-30   | 0.4-1.4 | 9     | ECE-R10/ECE-R65               | Plan/Magnetic/vacuum            | 40 LED    | 180             | 3              | 150 x Ø140     | IP 65          |
| 172209       | 10-30   | 0.9     | 24    | ECE-R10/ECE-R65               | Standard ISO A - Rod/Flexible   | 8 LED     |                 | 3              | 143 x Ø140     | IP 65          |
| 172210       | 10-30   | 0.9     | 24    | ECE-R10/ECE-R65               | Plan/Magnetic                   | 8 LED     | 200             | 3              | 93 x Ø140      | IP 65          |
| 172211       | 10-30   | 0.9     | 24    | ECE-R10/ECE-R65               | Plan                            | 8 LED     |                 | 3              | 93 x Ø140      | IP 65          |
| 172271       | 10-30   | 0.4-1.0 | 16    | ECE-R10/ECE-R65               | Plan/Magnetic/vacuum            | 32 LED    | 2500            | 3              | 57 x Ø111      | IP 67/IP 69K   |
| 172272       | 10-30   | 0.4-1.0 | 16    | ECE-R10/ECE-R65               | Plan                            | 32 LED    | 300             | 3              | 57 x Ø111      | IP 67/IP 69K   |
| 172273       | 10-30   | 0.4-1.0 | 16    | ECE-R10/ECE-R65               | Standard ISO A - Rod/Flexible   | 32 LED    |                 | 3              | 117 x Ø111     | IP 67/IP 69K   |
| 171931       | 12-36   | 2.9/1.8 | 35/44 | ECE-R10/ECE-R65               | Plan                            | 12 LED    | 340             | 5              | 88.5 x Ø161.9  | IP 67          |
| 172183       | 12-36   |         | 70    | ECE-R10/ECE-R65               | Plan                            | 12 LED    | 340             | 5              | 82 x Ø161.9    | IP 69K         |
| 172184       | 12-36   |         | 70    | ECE-R10/ECE-R65               | Standard ISO A - Rod            | 12 LED    |                 | 2              | 130.6 x Ø121.7 | IP 69K         |
| 171763       | 12/24   | 1.7/0.8 | 45    | ECE-R10/ECE-R65               | Standard ISO A - Rod/Rigid      | 8 LED     |                 | 2              | 121 x Ø120     | IP 66          |
| 171764       | 12/24   | 1.7/0.8 | 45    | ECE-R10/ECE-R65               | Plan                            | 8 LED     |                 | 2              | 74 x Ø148      | IP 66          |
| 171918       | 12/24   | 1.2/2.9 | 37    | SAE/ECE-R65, CISPR 25 Class 5 | Plan                            | 10 LED    | 400             | 11             | 128 x Ø142     | IP 65          |
| 171919       | 12/24   | 1.2/2.9 | 37    | SAE/ECE-R65, CISPR 25 Class 5 | Lighter Socket/Magnetic         | 10 LED    | 3000            | 11             | 128 x Ø142     | IP 65          |
| 171920       | 12/24   | 1.2/2.9 | 37    | SAE/ECE-R65, CISPR 25 Class 5 | Standard ISO A - Rod            | 10 LED    |                 | 11             | 202 x Ø130     | IP 65          |
| 171957       | 10-100  | 0.1     | 1.2   | ECE-R10                       | Plan                            | 12 LED    | 410             | 4              | 45 x Ø77       | IP 67          |
| 172114       | 10-100  | 0.3     | 5.5   | ECE-R10                       | Standard ISO B2 (and B1) - Base | 9 LED     |                 | 1              | 103 x Ø122     | IP 54          |
| 171673       | 11-110  | 0.7     | 6     | ECE-R10                       | Plan                            | 6 LED     | 300             | 1              | 130 x Ø98      | IP 66          |
| 172145       | 11-110  | 0.4     | 3     | ECE-R10                       | Plan                            | 3 LED     | 450             | 5              | 97.5 x Ø130    | IP 63          |
| 172221       |         |         |       |                               | Plan/Magnetic                   | 8 LED     |                 | 1              | 130 x Ø95      | IP 65          |
| 172253       |         |         |       |                               | Plan/Magnetic                   | 8 LED     |                 | 1              | 130 x Ø95      | IP 65          |
| 172308       | 10-30   | 0.4-1.0 | 16    | ECE-R10/ECE-R65               | Plan                            | 32 LED    | 300             | 3              | 57 x Ø111      | IP 67/IP 69K   |



## Exceptional Quality HC-CARGO Amber LED Light Bars

### Excellent warning light

The HC-CARGO LED light bars offer excellent warning light indications - even in bright conditions. Most of the bars also offer possibility to set arrow direction. At night you can reduce the light intensity, reducing the risk of blinding oncoming traffic.

### Benefits and features

- Broad assortment with various sizes
- Easy to mount
- Proven quality - ECE R65 class I and II

### Equipped with

- Multi-adjustable mounting feet or magnetic vacuum (except 172094)
- Superior 360° light dispersion
- Night and day functionality (dim functions)
- Various flash patterns, some incl. arrow functions
- Can be synchronized with other LED flash
- IP 64K/IP 66



HC-CARGO 172306



HC-CARGO 171850



HC-CARGO 172196

| HC-CARGO no. | Voltage | Amp       | Approval        | Cable length mm | Flash patterns | Length mm | Tightness norm | Colour | Base            |
|--------------|---------|-----------|-----------------|-----------------|----------------|-----------|----------------|--------|-----------------|
| 171849       | 12      | 5.2       | SAE/ECE-R65     | 3600            | 6              | 634       | IP 66          | Orange | Flexible        |
| 171850       | 12      | 15        | SAE/ECE-R65     | 5500            | 21             | 1087      | IP 66          | Orange | Flexible        |
| 171852       | 12      | 17        | SAE/ECE-R65     | 5500            | 21             | 1387      | IP 66          | Orange | Flexible        |
| 171909       | 12      | 16.4      | SAE/ECE-R65     | 5500            | 21             | 1087      | IP 66          | Blue   | Flexible        |
| 171851       | 24      | 15        | SAE/ECE-R65     | 5500            | 21             | 1087      | IP 66          | Orange | Flexible        |
| 171853       | 24      | 17        | SAE/ECE-R65     | 5500            | 21             | 1387      | IP 66          | Orange | Flexible        |
| 172195       | 12/24   | 10/7.5    | SAE/ECE-R65     | 3600            | 7              | 1087      | IP 66          | Orange | Flexible        |
| 172196       | 12/24   | 15/7.5    | SAE/ECE-R65     | 3600            | 7              | 1387      | IP 66          | Orange | Flexible        |
| 172197       | 12/24   | 43595     | SAE/ECE-R65     | 3600            | 7              | 935       | IP 66          | Orange | Flexible        |
| 172198       | 12/24   | 15/7.5    | SAE/ECE-R65     | 3600            | 7              | 1252      | IP 66          | Orange | Flexible        |
| 172199       | 12/24   | 15/7.5    | SAE/ECE-R65     | 3600            | 7              | 1537      | IP 66          | Orange | Flexible        |
| 172206       | 12/24   | 7.5/5     | SAE/ECE-R65     | 3600            | 7              | 634       | IP 66          | Orange | Flexible        |
| 172094*      | 12/24   | 2.88/1.44 | EMC-R10/ECE-R65 | 3000            | 23             | 355       | IP 64K         | Orange | 2 Screws        |
| 172115*      | 12/24   | 2.88/1.44 | ECE-R10/ECE-R65 | 3000            | 23             | 355       | IP 64K         | Blue   | 2 Screws        |
| 172306*      | 12/24   | 1.66/0.83 | ECE-R10/ECE-R65 | 300             | 29             | 251       | IP 65          | Orange | 2 Screws        |
| 172307*      | 12/24   | 1.66/0.83 | ECE-R10/ECE-R65 | 2500            | 29             | 251       | IP 65          | Orange | Magnetic/vacuum |



HC-CARGO  
Mini Light Bar



HC-CARGO Switch panel  
HC-CARGO 172200  
HC-CARGO 171762  
Switchpanel for LED  
lightbar.



HC-CARGO LED flash  
6 LED flash module  
171856/171857 Xtreme,  
amber 171915 Xtreme, blue.  
172207, amber.



HC-CARGO LED corner flash  
12 LED flash corner module  
171858/171859 Xtreme, amber  
171916 Xtreme, blue.  
172208, amber.

## HC-CARGO LED Flash

HC-CARGO offers a wide range of LED flash lights. As with all other HC-CARGO lighting products, regular testing and quality control ensure that all our flash lights meet high quality standards.

### Features:

- EMC/ECE-R10 approved for reduction of electro magnetic noise
- IP 67 protected against water and dust
- With aluminium base for optimal heat dissipation
- With reverse polarity protection

| HC-CARGO no. | Voltage | Amp        | Watt | Approval        | LED'S  | Cable length mm | Flash patterns | Dimension mm     | Tightness norm | Colour       |
|--------------|---------|------------|------|-----------------|--------|-----------------|----------------|------------------|----------------|--------------|
| 171814       | 12/24   | 0.39/0.20  | 0.48 | ECE-R10/ECE-R65 | 6 LED  | 970             | 5              | 127.5x27.8x17.2  | IP 67          | Orange       |
| 171904       | 12/24   | 0.32/0.17  | 4.1  | ECE-R10/ECE-R65 | 4 LED  | 200             | 23             | 122x41x29.4      | IP 67          | Orange       |
| 171905       | 12/24   | 0.32/0.16  | 4.1  | ECE-R10/ECE-R65 | 3 LED  | 200             | 12             | 99x41x29         | IP 67          | Orange       |
| 171906       | 12/24   | 0.75/0.38  | 9    | ECE-R10/ECE-R65 | 12 LED | 200             | 25             | 131.8x19.2x48.7  | IP 67          | Orange       |
| 171926       | 12/24   | 0.39/0.20  | 9.6  | ECE-R10/ECE-R65 | 6 LED  | 3000            | 5              | 127.5x27.8x17.2  | IP 67          | Orange       |
| 171933       | 12/24   | 0.55/0.26  | 9.6  | ECE-R10/ECE-R65 | 6 LED  | 970             | 19             | 107x42x24        | IP 67          | Orange       |
| 172011       | 12/24   | 0.5/0.25   | 6    | ECE-R10/ECE-R65 | 6 LED  | 250             | 15             | 129.2x16.8x31.4  | IP 67          | Orange       |
| 172012       | 12/24   | 0.88/0.44  | 10.5 | ECE-R10/ECE-R65 | 12 LED | 250             | 15             | 129x50x16.8      | IP 67          | Orange       |
| 172013       | 12/24   | 0.25/0.125 | 6    | ECE-R10         | 6 LED  | 200             | 23             | 130.5x30x6.6     | IP 67          | Orange       |
| 172076       | 12/24   | 0.75/0.38  | 9    | ECE-R10/ECE-R65 | 12 LED | 2000            | 25             | 131.8x19.2x48.7  | IP 67          | Orange       |
| 172087       | 12/24   | 0.39/0.20  | 9    | ECE-R10/ECE-R65 | 3 LED  | 970             | 5              | 85.6x27.7x15.7   | IP 67          | Orange       |
| 172109       | 12/24   | 0.88/0.44  | 10.5 | ECE-R10/ECE-R65 | 12 LED | 250             | 16             | 132.6x10x45      | IP 67          | Orange       |
| 172112       | 12/24   | 0.88/0.44  | 10.5 | ECE-R10/ECE-R65 | 6 LED  | 250             | 16             | 98.54x10x35.07   | IP 68          | Orange       |
| 172113       | 12/24   | 0.27-0.13  | 3.5  | ECE-R10/ECE-R65 | LED    | 1200            | 19             | 109x72x28        | IP 67          | Orange       |
| 172122       | 12/24   | 0.24/0.12  | 2.82 | ECE-R10         | 3 LED  | 200             | 12             | 46.7x17          | IP 67          | Orange       |
| 172124       | 12/24   | 0.24/0.12  | 2.85 | ECE-R10/ECE-R65 | 3 LED  | 200             | 16             | 36x39            | IP 67          | Orange       |
| 172137       | 12/24   | 1.14/0.57  | 13   | ECE-R10/ECE-R65 | 6 LED  | 250             | 23             | 129.2x27.2x15.79 | IP 67          | Orange       |
| 172139       | 12/24   | 1.14/0.57  | 13   | ECE-R10/ECE-R65 | 6 LED  | 200             | 16             | 96.8x35.9x34.5   | IP 67          | Orange       |
| 172142       | 12/24   | 1.14/0.57  | 13   | ECE-R10/ECE-R65 | 6 LED  | 200             | 16             | 66.7x7.5x34.8    | IP 67          | Orange       |
| 172108       | 12/24   | 0.88/0.44  | 10.5 | ECE-R10/ECE-R65 | 12 LED | 250             | 16             | 132.6x10x45      | IP 67          | Blue/Orange  |
| 171642       | 12/24   | 0.32/0.17  | 6    | ECE-R10/ECE-R65 | 3 LED  | 200             | 12             | 99x41x29         | IP 67          | White        |
| 171646       | 12/24   | 0.64/0.32  | 8    | ECE-R10/ECE-R65 | 4 LED  | 200             | 19             | 122x41x29        | IP 67          | White        |
| 172203*      | 12/24   | 1.35/0.75  | 18   | ECE-R10/ECE-R65 | 24 LED | 250             | 14             | 132x50x18.8      | IP 68          | Amber/Amber  |
| 172223*      | 12/24   | 1.35/0.75  | 18   | ECE-R10/ECE-R65 | 24 LED | 250             | 14             | 132x50x18.8      | IP 68          | Blue/Orange  |
| 172224*      | 12/24   | 1.35/0.75  | 18   | ECE-R10/ECE-R65 | 24 LED | 250             | 14             | 132x50x18.8      | IP 68          | Blue/white   |
| 172225*      | 12/24   | 1.35/0.75  | 18   | ECE-R10/ECE-R65 | 24 LED | 250             | 14             | 132x50x18.8      | IP 68          | Blue/red     |
| 172204*      | 12/24   | 1.35/0.75  | 18   | ECE-R10/ECE-R65 | 24 LED | 250             | 14             | 132x50x18.8      | IP 68          | Amber/Red    |
| 172205*      | 12/24   | 1.35/0.75  | 18   | ECE-R10/ECE-R65 | 24 LED | 250             | 14             | 132x50x18.8      | IP 68          | Orange/white |
| 172289       | 12/24   | 0.27-0.13  | 6.5  | ECE R10         | 3 LED  | 5000            | 12             | 88x30x6.6        | IP67           | Orange       |
| 172290       | 12/24   | 0.32/0.17  | 3.9  | ECE R10         | 4 LED  | 5000            | 23             | 111.2x30x6.6     | IP67           | Orange       |
| 172296       | 12/24   | 0.25/0.125 | 6    | ECE R10         | 6 LED  | 5000            | 23             | 130.5x30x6.6     | IP67           | Orange       |
| 172330       | 12/24   | 1.14/0.57  | 13   | ECE R10         | 6 LED  | 250             | 23             | 129.2x27.2x15.79 | IP67           | White        |



HC-CARGO 172013



HC-CARGO 172109



HC-CARGO 172137  
HC-CARGO 172330



HC-CARGO 172011



HC-CARGO 172205

# HC-CARGO LED Work Lamps

LED lighting is very popular within the automotive industry. Primarily because:

- LED light output has increased
- Power consumption is kept at a minimum
- Extremely long lifetime expectancy

## HC-CARGO LED Work Lamps provide

- Brightness = safe work environment
- Ultra-high performance in a variety of fields. Agricultural, utility vehicles, off road, marine, road works and construction and with zero maintenance

- Up to 50.000 working hours at 100% efficiency
- Resistance to water, dust, shock and vibration

## General Features

- With or without connector
- Up to IP69K protected
- Some are ADR/GGV5 approved
- All are CE or/and EMC Homologated
- Various shape, style, mount and output volume
- Spot, flood and combo versions

## HC-CARGO LED Work Lamps - Square

| HC-CARGO no. | Voltage | Watt | Lumen | Tightness norm | Approval                | Cable length mm | Dimension mm     | Beam shape | Design      | Bulb type | 2 pin multiplug |
|--------------|---------|------|-------|----------------|-------------------------|-----------------|------------------|------------|-------------|-----------|-----------------|
| 171847       | 10-80   | 5    | 600   | IP 67          | ECE R10                 | 500             | 52x51.9x72.3     | Spot       | Square      | 1 LED     | Without         |
| 171945       | 10-30   | 9    | 600   | IP 67          | ECE R10                 | 400             | 60x110x56        | Flood      | Rectangular | 3 LED     | Without         |
| 172127       | 12-36   | 8.4  | 720   | IP 67          | ECE R10                 | 300             | 131.3x70x42.6    | Flood      | Square      | 3 LED     | With            |
| 171944       | 10-30   | 16   | 800   | IP 67          | ECE R10                 | 400             | 87x80x75         | Flood      | Square      | 4 LED     | Without         |
| 171727       | 9-33    | 9    | 900   | IP 67          | ECE R10                 | 450             | 106x106x59       | Flood      | Square      | 9 LED     | Without         |
| 172055       | 10-80   | 10   | 900   | IP 69K         | ECE R10                 | 500             | 92.4x49.6x45.7   | Flood      | Rectangular | 2 LED     | With            |
| 172056       | 10-80   | 10   | 900   | IP 69K         | ECE R10                 | 500             | 92.4x49.6x45.7   | Spot       | Rectangular | 2 LED     | With            |
| 171948       | 10-30   | 15   | 1100  | IP 67          | ECE R10                 | 400             | 128x110x45       | Flood      | Square      | 5 LED     | Without         |
| 171949       | 10-30   | 15   | 1100  | IP 67          | ECE R10                 | 400             | 128x110x45       | Spot       | Square      | 5 LED     | Without         |
| 172119       | 10-30   | 15   | 1100  | IP 67          | ECE R10                 | 265             | 138x108x40       | Flood      | Square      | 5 LED     | Without         |
| 171946       | 10-30   | 18   | 1200  | IP 67          | ECE R10                 | 400             | 60x110x56        | Flood      | Rectangular | 6 LED     | Without         |
| 172105       | 10-30   | 15   | 1200  | IP 69K         | ECE R10                 | 450             | 88x88x50         | Flood      | Square      | 5 LED     | With            |
| 172143       | 10-30   | 15   | 1426  | IP 67          | ECE R10                 | 460             | 150x80x38        | Flood      | Rectangular | 10 LED    | With            |
| 171955       | 12-24   | 24   | 1500  | IP 69K         | ECE R10                 |                 | 100x100x76       | Flood      | Square      | 6 LED     | With            |
| 172003       | 12-24   | 24   | 1500  | IP 69K         | ECE R10                 | 500             | 100x100x76       | Flood      | Square      | 6 LED     | Without         |
| 172004       | 12-24   | 24   | 1500  | IP 69K         | ECE R10                 | 500             | 205x110x76       | Flood      | Square      | 6 LED     | Without         |
| 171947       | 10-30   | 20   | 1600  | IP 67          | ECE R10                 | 400             | 60x110x56        | Flood      | Rectangular | 2 LED     | Without         |
| 171752       | 12-36   | 20   | 1800  | IP 69K         | ECE R10                 | 280             | 125x176x60.1     | Flood      | Square      | 9 LED     | Without         |
| 171755       | 11-70   | 27   | 1900  | IP 67          | ECE R10                 | 1200            | 110.4x184x67     | Flood      | Square      | 6 LED     | Without         |
| 172262       | 10-30   | 27   | 2100  | IP 67          | ECE R10                 | 300             | 110x110x42       | Flood      | Square      | 9 LED     | Without         |
| 172106       | 10-30   | 27   | 2160  | IP 69K         | ECE R10                 | 450             | 105x105x60       | Flood      | Square      | 9 LED     | With            |
| 172126       | 12-36   | 19.3 | 2160  | IP 69K         | ECE R10                 | 300             | 126.4x99x54.2    | Flood      | Square      | 9 LED     | With            |
| 172128       | 12-36   | 22   | 2160  | IP 69K         | ECE R10                 | 280             | 188.4x125x82     | Flood      | Square      | 9 LED     | With            |
| 172130       | 12-36   | 22   | 2160  | IP 69K         | ECE R10                 | 2000            | 202.2x125x114.7  | Flood      | Square      | 9 LED     | Without         |
| 172088       | 10-30   | 30   | 2400  | IP 69K         | ECE R10                 | 350             | 150x90x90        | Flood      | Rectangular | 6 LED     | With            |
| 172131       | 10-60   | 30   | 2400  | IP 69K         | ECE R10                 | 460             | 119x105x80       | Spot       | Square      | 6 LED     | With            |
| 172136       | 10-60   | 30   | 2400  | IP 69K         | ECE R10                 | 460             | 215x40x65        | Flood      | Rectangular | 6 LED     | With            |
| 172132       | 10-60   | 35   | 2800  | IP 69K         | ECE R10                 | 460             | 119x105x80       | Flood      | Square      | 1 LED     | With            |
| 172010       | 12-36   | 40   | 3200  | IP 69K         | ECE R10                 | 280             | 127.2x106.3x76.8 | Flood      | Square      | 4 LED     | Without         |
| 172232       | 10-80   | 45   | 3360  | IP 67          | ECE R10                 | 450             | 109x109x48.5     | Flood      | Square      | 16 LED    | With            |
| 172001       | 10-80   | 48   | 3500  | IP 67          | ECE R10                 | 400             | 164x110x72       | Flood      | Square      | 16 LED    | With            |
| 172185       | 10-30   | 45   | 4050  | IP 67          | ECE R10                 | 460             | 156x126x95       | Blue Spot  | Rectangular | 10 LED    | With            |
| 172129       | 12-36   | 40   | 4800  | IP 69K         | ECE R10                 | 350             | 136.1x110x65.9   | Flood      | Square      | 6 LED     | With            |
| 172260       | 10-30   | 22.5 | 2850  | IP67           | ECE R10                 | 450             | 97x78x73         | Combo      | Rectangular | 15 LED    | With            |
| 172292       | 10-30   | 40   | 4000  | IP 69K         | ECE R10, CISPR25 Class5 | 440             | 101x98x74        | Flood      | Rectangular | 4 LED     | With            |
| 172329       | 9-30    | 73   | 9220  | IP 69K         | ECE R10                 | 100             | 120x125.7x96.1   | Flood      | Square      | 12 LED    | With            |
| 172335       | 10-30   | 36   | 3380  | IP69K          | ECE R10                 | 165             | 151x72x60        | Flood      | Rectangular | 12 LED    | With            |
| 171751       | 9-36    | 19   | 1200  | IP69K          | ECE R10                 | 280             | 104.9x162.3x54.2 | Flood      | Rectangular | 6 LED     | Without         |
| 172135       | 10-60   | 20   | 1600  | IP69K          | ECE R10                 | 470             | 150x40x65        | Flood      | Rectangular | 4 LED     | With            |
| 172270       | 10-30   | 27   | 3375  | IP69K          | ECE R10                 | 1000            | 182.5x48x101.5   | Flood      | Rectangular | 18 LED    | Without         |
| 172053       | 10-80   | 6    | 540   | IP69K          | ECE R10                 | 450             | 92.4x49.6x45.7   | Blue Spot  | Rectangular | 2 LED     | With            |
| 172054       | 10-80   | 6    | 540   | IP69K          | ECE R10                 | 450             | 92.4x49.6x45.7   | Red Spot   | Rectangular | 2 LED     | With            |

## HC-CARGO LED Work Lamps - Round



| HC-CARGO no. | Voltage | Watt | Lumen | IP        | Approval | Cable length (mm) | Dimension mm    | Beam shape | Shape | Type   | 2 pin multiplug |
|--------------|---------|------|-------|-----------|----------|-------------------|-----------------|------------|-------|--------|-----------------|
| 171671       | 10-64   | 8.5  | 450   | IP 66     | ECE R10  | 2000              | 151.5x120x83.41 | Spot       | Round | 4 LED  | Without         |
| 171811       | 10-80   | 5    | 600   | IP 66     | ECE R10  | 300               | 72.3x52x51.87   | Spot       | Round | 1 LED  | Without         |
| 172120       | 10-30   | 15   | 1100  | IP 67     | ECE R10  | 265               | 128x116x48      | Flood      | Round | 5 LED  | Without         |
| 171950       | 10-30   | 18   | 1200  | IP 67     | ECE R10  | 400               | 128x110x45      | Flood      | Round | 6 LED  | Without         |
| 171951       | 10-30   | 18   | 1200  | IP 67     | ECE R10  | 400               | 128x110x45      | Spot       | Round | 6 LED  | Without         |
| 172263       | 10-30   | 27   | 2100  | IP 67     | ECE R10  | 300               | 116x116x43      | Flood      | Round | 9 LED  | Without         |
| 172107       | 10-30   | 27   | 2160  | IP 69K    | ECE R10  | 450               | 125x125x50      | Flood      | Round | 9 LED  | With            |
| 172269       | 10-30   | 40   | 4000  | IP 68/69K | ECE R10  | 300               | 110x93x120      | Flood      | Round | 4 LED  | With            |
| 172321       | 10-30   | 36   | 4000  | IP 69K    | ECE R10  | 120               | 85x76           | Flood      | Round | 12 LED | With            |
| 172324       | 10-30   | 36   | 4000  | IP69K     | ECE R10  | 120               | 85x76           | Flood      | Round | 12 LED | With            |

## HC-CARGO LED Work Lamps - Oval



| HC-CARGO no. | Voltage | Watt | Lumen | IP     | Approval | Cable length (mm) | Dimension mm    | Beam shape | Shape | Type   | 2 pin multiplug |
|--------------|---------|------|-------|--------|----------|-------------------|-----------------|------------|-------|--------|-----------------|
| 172228       | 10-80   | 8    | 640   | IP 67  | ECE R10  | 350               | 143x90x86       | Blue Spot  | Oval  | 2 LED  | With            |
| 172134       | 10-30   | 24   | 1920  | IP 69K | ECE R10  | 460               | 130x78x53       | Flood      | Oval  | 8 LED  | Without         |
| 172032       | 10-80   | 36   | 2880  | IP 69K | ECE R10  | 400               | 140x95x70       | Flood      | Oval  | 12 LED | With            |
| 172191       | 10-30   | 40   | 3200  | IP 69K | ECE R10  | 460               | 170x82x80       | Flood      | Oval  | 8 LED  | With            |
| 172045       | 10-80   | 65   | 5850  | IP 69K | ECE R10  | 500               | 165x142x94.5    | Flood      | Oval  | 13 LED | With            |
| 172046       | 10-80   | 65   | 5850  | IP 69K | ECE R10  | 500               | 165x142x94.5    | Spot       | Oval  | 13 LED | With            |
| 172322       | 10-30   | 39   | 3900  | IP 69K | ECE R10  | 120               | 138x69x93       | Flood      | Oval  | 13 LED | With            |
| 172323       | 10-30   | 40   | 4000  | IP 69K | ECE R10  | 120               | 171.5x80.5x81.5 | Flood      | Oval  | 8 LED  | With            |
| 172309       | 10-80   | 8    | 640   | IP 67  | ECE R10  | 350               | 143x90x86       | Blue Arrow | Oval  | 2 LED  | With            |
| 172310       | 10-80   | 8    | 640   | IP 67  | ECE R10  | 350               | 143x90x86       | Red Arrow  | Oval  | 2 LED  | With            |



## HC-CARGO LED Work Light Bars - Straight

| HC-CARGO no. | Voltage | Watt | Lumen | IP    | Approval | Cable length (mm) | Dimension mm | Beam shape | Shape    | Type   | 2 pin multiplug |
|--------------|---------|------|-------|-------|----------|-------------------|--------------|------------|----------|--------|-----------------|
| 172274       | 12/24   | 18   | 6480  | IP 67 | ECE R10  | 500               | 238x52x46    | Spot       | Straight | 6 LED  | With            |
| 172275       | 12/24   | 45   | 4050  | IP 67 | ECE R10  | 500               | 526x52x45    | Spot       | Straight | 15 LED | With            |
| 172276       | 12/24   | 72   | 6480  | IP 67 | ECE R10  | 500               | 814x52x45    | Spot       | Straight | 24 LED | With            |
| 172277       | 12/24   | 90   | 8100  | IP 67 | ECE R10  | 500               | 1006x52x45   | Spot       | Straight | 30 LED | With            |
| 172278       | 12/24   | 120  | 10800 | IP 67 | ECE R10  | 500               | 563x58x78    | Combo      | Straight | 40 LED | With            |
| 172279       | 12/24   | 180  | 16200 | IP 67 | ECE R10  | 500               | 818x58x78    | Combo      | Straight | 60 LED | With            |
| 172280       | 12/24   | 240  | 21600 | IP 67 | ECE R10  | 500               | 1073x58x78   | Combo      | Straight | 80 LED | With            |
| 172281       | 12/24   | 288  | 25920 | IP 67 | ECE R10  | 500               | 1277x58x78   | Combo      | Straight | 96 LED | With            |



| HC-CARGO no. | Voltage | Watt | Lumen | IP     | Approval | Cable length (mm) | Dimension mm    | Beam shape | Shape | Type   | 2 pin multiplug |
|--------------|---------|------|-------|--------|----------|-------------------|-----------------|------------|-------|--------|-----------------|
| 172228       | 10-80   | 8    | 640   | IP 67  | ECE R10  | 350               | 143x90x86       | Blue Spot  | Oval  | 2 LED  | With            |
| 172134       | 10-30   | 24   | 1920  | IP 69K | ECE R10  | 460               | 130x78x53       | Flood      | Oval  | 8 LED  | Without         |
| 172032       | 10-80   | 36   | 2880  | IP 69K | ECE R10  | 400               | 140x95x70       | Flood      | Oval  | 12 LED | With            |
| 172191       | 10-30   | 40   | 3200  | IP 69K | ECE R10  | 460               | 170x82x80       | Flood      | Oval  | 8 LED  | With            |
| 172045       | 10-80   | 65   | 5850  | IP 69K | ECE R10  | 500               | 165x142x94.5    | Flood      | Oval  | 13 LED | With            |
| 172046       | 10-80   | 65   | 5850  | IP 69K | ECE R10  | 500               | 165x142x94.5    | Spot       | Oval  | 13 LED | With            |
| 172322       | 10-30   | 39   | 3900  | IP 69K | ECE R10  | 120               | 138x69x93       | Flood      | Oval  | 13 LED | With            |
| 172323       | 10-30   | 40   | 4000  | IP 69K | ECE R10  | 120               | 171.5x80.5x81.5 | Flood      | Oval  | 8 LED  | With            |
| 172309       | 10-80   | 8    | 640   | IP 67  | ECE R10  | 350               | 143x90x86       | Blue Arrow | Oval  | 2 LED  | With            |
| 172310       | 10-80   | 8    | 640   | IP 67  | ECE R10  | 350               | 143x90x86       | Red Arrow  | Oval  | 2 LED  | With            |





# Our Lighting Program - Your Bright Business

## Complete Lighting Program

Find the full HC-CARGO Lighting program on our website. Our web catalogue is updated continuously and here you will always be able to find the latest HC-CARGO products. You will also find links to videos of some of our lighting products, the full Accessories program in PDF catalogue and more detailed information on products and ranges.



172045



172004



172083



172191



172262



Scan the QR code  
to watch the  
HC-CARGO video



Holger Christiansen A/S - A Bosch Group Company  
10440exen\_HC-CARGO\_Amber Lighting brochure\_10.2021

Not all products shown on the vehicles are available at HC-CARGO.



[www.hc-cargo.com](http://www.hc-cargo.com)