


Twin Turbo – The strongest HAZET impact wrench series ever!

- » ½", ¾", 1" Twin Turbo impact wrenches to 4,100 Nm Power
- » Twin Effect – More power in less time!
- » Two air inlets and four air outlets
- » 8-blade air motor with 25 % higher impact performance ensures maximum torque



Twin Turbo (TT)


9012TT, EAN-No. 4000896226924

½" impact wrench

- **Loosening torque (max.): 2,200 Nm***
- Exhaust air is guided downwards through the handle
- Low vibration
- Forward/reverse: two-stage (forward), single-stage (reverse)
- Rotation speed: 8,300 rpm
- Weight (net): 1.6 kg
- Air requirement: 147.2 l/min
- Sound power level (at working pressure): 99.7 dB(A) Lp A
- Coupler plug (incl.): 7.2 nominal size



125 ½"



235.- €
net

* Determined with screw size M32

Twin Turbo (TT)

9013TT · 9014TT

¾" or 1" impact wrench

- **Loosening torque (max.): 4,100 Nm***
- Exhaust air is guided downwards through the handle
- Low vibration
- Forward/reverse: two-stage (forward), single-stage (reverse)
- Rotation speed: 5,200 rpm
- Coupler plug (incl.): 7.2 nominal size
- Removable handle, 360° adjustable



20 ¾" 25 1"



HAZET No.		Air requirement l/min	dB(A)	kg	EAN-No. 4000896+	€ net
9013TT	20 ¾"	243.5 (4.1 l/sec)	99.5	4.5	227143	620.-
9014TT	25 1"	235.0 (3.9 l/sec)	101.9	4.6	234684	685.-

* Determined with screw size M32



9035-5, EAN-No. 4000896132355

Needle scaler

- Adjustable needle cover
- Removes precise, small and large emerging patches of rust
- 19 needles (Ø 3 mm)
- 3,200 impacts/min
- Air requirement: 170 l/min (2.8 l/sec)
- Length (total): 330 mm
- Weight (net): 2.6 kg
- Coupler plug (incl.): 7.2 nominal size



Adjustable needle cover!

296.- €
net



9035M-5, EAN-No. 4000896232284

Mini needle scaler

- Gentle cleaning of soiled, rusted parts especially cleaning of brake systems etc.
- 13 thin stainless steel needles (Ø 1.3 mm) ensure damage-free processing and highly fine surface structure
- 3,000 impacts/min
- Length: 236 mm



222.- €
net

9040N-13, EAN-No. 4000896214648

Hose reel

- Hose stop function possible at any point with "Stop at any point"
- Automatic guidance winds the hose neatly
- Braked winding to prevent risk of accidents
- Suitable for compressed air or water
- Black hybrid polymer hose
- Working pressure (max.): 20 bar

Hose inside Ø mm	Outside thread	°C	kg
13	20.96 mm 1/2"	-40-80	9.50



184.90 €
net

9022P-2, EAN-No. 4000896184538

12S 1/2"

Air ratchet

- Max. loosening torque: 108 Nm
- For manual retightening with torque values > 400 Nm
- Sound power level (at working pressure): 110 dB(A) Lp W
- Sound pressure level (at working pressure): 99 dB(A) Lp A
- Vibration acceleration: 9.10 m/s²
- Revolutions per minute: 280
- Air requirement: 113 l/min
- Weight: 1.24 kg
- Length: 258 mm



1/2"

Closed head

215.- €
net

HiPer (HP)

Fine-tooth reversible ratchet

- A lot more power than with ratchets of the same dimensions
- HAZET internal quality standards guarantee loading capacity far beyond the standard requirements


HiPer
HIGH PERFORMANCE
THE ORIGINAL
MADE IN GERMANY

90
4°

12⁵ 1/2"



①
1/2"



②
1/2"
Telescoping

Continuously extendable
114 to max. 614 mm

STATIC AND DYNAMIC – Double precision in perfection!

OUR CLASSIC WORKSHOP TOOL!

- ▶ Complete range: 1/4" · 3/8" · 1/2"
- ▶ 10 versions, extendable or with safety lock, among other features
- ▶ Maximum power: almost double DIN! (916HP: 1,000 Nm, DIN 512 Nm)
- ▶ High precision: 90 teeth
- ▶ 4° operating angle for restricted spaces
- ▶ Developed and produced by HAZET "Made in Germany"



- ① Pawl
- ② Ratchet wheel
90 teeth, 4°
- ③ Shift lever
- ④ Housing
- ⑤ 2-component handle

Made in Germany

No.	HAZET No.		Nm	Length mm	EAN-No. 4000896+	€ net
①	916HP	12 ⁵ 1/2"	1,000	275	213894	59.40
②	916HPLG	12 ⁵ 1/2"	1,000	414 – 614	233076	124.00



810T/6 TORX® · 810/6

Screwdriver set

- With hanging hole in handle
- Surface: blade matt chrome-plated, tip burnished



⊙ 810T/6



⊖ ⊙ 810/6

HAZET No.	Contents	EAN-No. 4000896+	€ net
810T/6	⊙ T10 · T15 · T20 · T25 · T27 · T30	204304	29.90
810/6	⊖ 0.5 x 3 · 0.8 x 4 · 1 x 5.5 · 1.2 x 6.5 mm ⊙ PH1 · PH2	058808	19.90

SYSTEM 5000-3CT torque wrench – Our classic workshop tool!

- » Large measuring range: 2.5 – 800 Nm
- » 6 versions with ■ 1/4", 1/2", 3/4" reversible ratchet for commercial vehicle screw connections
- » Accuracy: ±3 % of scale value
- » HAZET's own Service Centre for best aftersales service
- » Developed and produced by HAZET "Made in Germany"

5122-3CT · 5145-3CT

1/2" and 3/4" torque wrenches

- No more turning back!
- Release accuracy tolerance (in direction of operation): ±3 % of scale value
- With serial number and certificate



12⁵ 1/2 20 3/4

Top seller for commercial vehicles!



Made in Germany

1/2"
40 – 200 Nm

3/4"
300 – 800 Nm

HAZET No.	■	Torque range Nm	Length mm	Graduation Nm	EAN-No. 4000896 +	€ net
5122-3CT	12 ⁵ 1/2	40 – 200	519	1.00	219001	176.90
5145-3CT	20 3/4	300 – 800	1,271	2.50	218929	638.90



2195-1, EAN-No. 4000896228898

12⁵ 1/2

1/2" cartridge wrench

- Granulates cartridge with retaining ring is installed on **KNORR-BREMSE** air dryers with electronic parking brake (EPB) in **RENAULT** Trucks series T and C as well as in **VOLVO** FH
- Torque-controlled tightening via integrated square 12.5 mm (1/2") possible with e.g. HAZET torque wrench 5120-3CT
- Operation of the granulates cartridge with retaining ring



Made in Germany

18.- €
net



4971-12, EAN-No. 4000896232857

Brake resetting tool

- Resetting **WABCO** brake callipers without removing the brake cylinder
- Good accessibility of the resetting device
- Easy operation with the 3-component HAZET handle
- Operation with tried and tested HAZET ratchet wrench
- Special insert in the ratchet wrench ensures safe power transmission on the resetting device
- For **WABCO** brake calliper in **MERCEDES-BENZ** Actros, Antos, Arocs
- Length (total): 454.4 mm
- Adapter s 8 mm
- Ratchet wrench 10 mm




Made in Germany

67.- €
net




2872-E18 · 2872-E20 · 2872-E24



3/4" TORX® slogging wrench with 2 striking faces

- For loosening and tightening **TORX®** screws on brake calliper fittings on the front axle and trailing axles of trucks
- Use of the wrench for assembly and disassembly of the brake calliper fittings renders the disassembly of the steering tie lever unnecessary
- Correct tightening of screws with torque wrench using a 20 mm (3/4") drive in accordance with the manufacturer's specifications
- For e.g. **MAN TGL TGM** wrench sizes: E18, E20, E24
- **2872-E20 e.g. on Schmitz Cargobull Trailer axles**

Wrench flat with laser-engraved formula for calculating the correct effective length!



Germany Made in Germany

HAZET No.	Drive	Length mm	Weight g	Effective length mm	Head width mm	Head thickness mm	EAN-No. 4000896+	€ net
2872-E18	E18	215	573	120	30	12	201235	53.00
2872-E20	E20	216	577	120	32	12	201242	53.90
2872-E24	E24	219	588	120	38	12	201259	54.00




2872SZ-24 · 2872SZ-26 · 2872SZ-27 · 2872SZ-30



3/4" Commercial vehicle box-end wrench (12-point) with 2 striking faces

- 12-point profile facilitates application on hard-to-reach fittings
- For e.g. **SAF**-brake calliper on **MERCEDES-BENZ** Atego and Actros
- Wrench with 20 mm (3/4") 4-point insertion hole for the correct tightening of screws with HAZET torque wrench in accordance with the manufacturer's specifications
- Wrench flat with laser-engraved formula for calculating the correct effective length

With 20 3/4" drive for torque wrenches!



Germany Made in Germany

HAZET No.	For operation of the brake calliper screw connection on e.g.	Drive mm	Length mm	EAN-No. 4000896+	€ net
2872SZ-24	SAF-brake calliper, MERCEDES-BENZ Atego and Actros	s 24	219.0	204175	57.90
2872SZ-26	DAF XF95/XF105/XF	s 26	219.0	203727	48.80
2872SZ-27	MERCEDES-BENZ Atego, Actros, KÄSSBOHRER buses	s 27	220.5	207183	47.30
2872SZ-30	SCANIA series 3, 4, G, P, T, R, S and bus	s 30	225.5	246281	44.00

2195, EAN-No. 4000896014101

125 1/2

1/2" cartridge wrench

- For loosening the granulates cartridges on commercial vehicles with compressed air dryer
- Forged design
- MAN No. 8099606-0307



90 – 140 mm



Made in Germany

144.70 €
net

2169-9, EAN-No. 4000896116690

125 1/2 24

1/2" commercial vehicle oil filter wrench

- For the operation of oil filters e.g. from MANN and MAHLE/KNECHT
- For e.g.: Volvo, SCANIA, RENAULT, MAN, IVECO, FIAT, FODEN, IRISBUS, ASTRA, CATERPILLAR, LIEBHERR, JOHN DEERE, KOMATSU, FAUN, MITSUBISHI
- The torque value recommended by the vehicle manufacturer can be safely achieved, e.g. with a HAZET torque wrench (Attention: observe the manufacturer's tightening torque value)



≈ 105 mm, 15-Point

1/2"

≈ 24 mm

For over
1600
applications!

Made in Germany

18.70 €
net



2171-8LG, EAN-No. 4000896203703

125 1/2

1/2" commercial vehicle oil filter chain wrench, open

- Clamping range 50 – 150 mm
- For removing oil filters and the operation of air dryer cartridges
- Especially suited to limited space
- Opening of the oil filter chain wrench facilitates application even in places which, due to the construction, cannot be reached from above with an operating tool



closed

open



Made in Germany

87.- €
net



4501-2, EAN-No. 4000896203499

Fuel and AdBlue® line pliers

- Simple operation of quick-release fasteners on fuel lines
- Volvo D13 · D16 · MAN D3876 LF · D1556 LF · D2676 LF and SCANIA engines
- CLAAS agricultural machinery with MAN engine
- AdBlue® lines and AdBlue® injection nozzles on agricultural machinery



235 mm

Made in Germany

Problem solver!

47.70 €
net

9041-1, EAN-No. 4000896147076

Tyre inflator

- Handle with operating lever and discharge knob (for one-hand use)
- Hose with plug-in nipple
- Manometer measuring range: 0–12 bar (graduation: 0.1 bar)
- Flexible tube, length: 400 mm
- Air inlet: inside thread 12.91 mm (1/4")



33.80 €
net

9040P-1, EAN-No. 4000896209545

Air blow gun • Standard nozzle

- Curved tube: Ø 8 mm, 100 mm
- Temperature range: -10 °C to 80 °C
- Max. working pressure: 16 bar
- Dimensions / length: 247 mm



15.10 €
net



195-4, EAN-No. 4000896148707

Pneumatic chair

- 5 castors (approx. 76 mm Ø)
- Loading capacity: up to 125 kg
- Weight: 5.8 kg
- Adjustable in height from 396 to 526 mm



With 5 sturdy castors!

99.– €
net



197-4, EAN-No. 4000896214235

Axle oil collecting pan for commercial vehicles, 3 l

- Safe collection of the oil dripping from the axle when disassembling or repairing the floating axles on trucks and agricultural machinery
- Chemical-resistant, unbreakable plastic with smooth, abrasion-proof surface
- Dimensions (L x W x H): 310 x 240 x 160 mm



19.40 €
net



Scan QR code and search for the
nearest AUTO KADA store
autokada.eu

Riga

OFFICE, SHOP, WAREHOUSE
Kaibalas 16,
Tel. +371 67113380

AUTO APTIEKA 24H
Kaibalas 16,
Tel. + 371 29105775

TĪRAINES
Tīraines 9a,
Tel. +371 67701018

IMANTA
Spilves 16,
Tel. +371 67809562

URIEKSTES
Uriekstes 3,
Tel. +371 67382139

RUMBULA
Maskavas 450N,
Tel. +371 67131604

Latvia

AIZKRAUKLE
Kalna 17,
Tel. +371 65122624

LIEPĀJA
Cukura 27,
Tel. +371 63488635

ALŪKSNE
Rūpniecības 8f,
Tel. +371 64322897

LIMBAŽI
Mehānizācijas 4,
Tel. +371 27335572

BALDONE
"Salmini",
Tel. +371 67932264

MADONA
Saules 67,
Tel. +371 64822437

BAUSKA
"Kundziņkrogs"
Codes pag.,
Bauskas nov.,
Tel. +371 63945155

OGRE
Jaudas 3,
Tel. +371 65067514

DAUGAVPILS
Kraujas 3,
+371 65407227

RĒZEKNE
Jupatovkas 11A,
Lielie Dreizi,
Tel. +371 29285731

GULBENE
"Reta", Svelbergis,
Beļavas pag.,
Gulbenes nov.,
Tel. +371 64472292

SALDUS
Apvedceļš 15,
Tel. +371 63881841

JĒKABPILS
Rīgas 224,
Tel. +371 65223282

TALSI
Stendes 5,
Tel. +371 63224440


JELGAVA
Rubeņu ceļš 62a,
Raubēni, Cenu pag.,
Jelgavas nov.,
Tel. +371 63011251

TUKUMS
Zemītes 5,
Tel. +371 63129267

KULDĪGA
Virkas 19,
Tel. +371 63323826

VANGAŽI
"Zīles", Krustiņi,
Inčukalna nov.,
Tel. +371 67995518

VENTSPILS
Kustes dambis 20,
Tel. +371 63680792



Lithuania

MAŽEIKIAI
Gamyklos g. 28,
Tel. +370 44367030

VILNIUS
Graičiūno g. 6,
Tel. +370 52416214

ŠIAULIAI
Metalistų g. 6H,
Tel. +370 65667750

KLAIPEDA
Šilutes pl. 56,
Tel. +370 46276239

Estonia

NARVA
Albert-August Tiimani 5-BOX2,
Tel. +372 53403250

PAIDE
Mundi 8, Jarva makond
Tel.: +372 56682225

RAKVERE
Jaama puistee 26,
Tel. +372 56890777

TALLINN
Peterburi tee 83,
Tel. +372 5070306

TARTU
Teguri 39,
Tel. +372 56629393