




AFTERMARKET

SACHS CV Clutch Core Purchase Program

Technical and qualitative requirements – 04/2018

SACHS Pressure Plates: 280mm up to 430mm size

Please consult your ZF Aftermarket sales contact for current purchase prices per qualified SACHS core component.



Releaser can be missing, no need to dismantle it

SACHS Pressure Plates: 280mm up to 430mm size




Please consult your ZF Aftermarket sales contact for current purchase prices per qualified SACHS core component.

No cracks, not broken
Not blue metal
"overheated"

SACHS Pressure Plates: 280mm up to 430mm size

Please consult your ZF Aftermarket sales contact for current purchase prices per qualified SACHS core component.



Releaser can be missing, no need to dismantle it

SACHS Pressure Plates: 280mm up to 430mm size

Please consult your ZF Aftermarket sales contact for current purchase prices per qualified SACHS core component.



No cracks, not
broken
Not blue metal
"overheated"

**SACHS Clutch discs: 280mm up to 430mm size,
6 spring design, not 8 spring design or older versions**

Please consult your ZF Aftermarket sales contact for current purchase prices per qualified SACHS core component.



SACHS Clutch discs: 280mm up to 430mm size, 6 spring design, not 8 spring design or older versions

Please consult your ZF Aftermarket sales contact for current purchase prices per qualified SACHS core component.



Friction missing
Rivet holes damaged
Clutch disc bent


SACHS Clutch discs: 280mm up to 430mm size, 6 spring design, not 8 spring design or older versions

Please consult your ZF Aftermarket sales contact for current purchase prices per qualified SACHS core component.



8 spring design
Rivet holes damaged
Clutch disc bent
Break out

SACHS ConAct release unit:



Please consult your ZF Aftermarket sales contact for current purchase prices per qualified SACHS core component.



SACHS ConAct release unit:



Please consult your ZF Aftermarket sales contact for current purchase prices per qualified SACHS core component.



General Transport & Packaging Information

- **Please use the dispatch advice** to submit the shipment ready for collection of the SACHS core components **via the designated logistics provider.**
- Please **use standard one-way pallets and cardboard packaging.**
- **Minimum quantity for collection: 1 pallet**
(30kg minimum weight / 500kg maximum weight per pallet)
- "Back in box" for SACHS CV Clutch components can be helpful but is not necessary, however a **safe transport packaging that also avoids transport damage of the single components has to be assured.**
- Please note that heavy clutch covers or dual mass flywheels on top can damage lighter clutch discs or ConAct releasers underneath – **make sure to prepare a safe and secure shipment.**
- **No garbage/trash** or other material inside the shipment.
- Please consult your ZF Aftermarket sales contact for current purchase prices per qualified SACHS core component.



ZF Friedrichshafen AG ZF Aftermarket 

Sender / Absender:

Contact Person / Ansprechpartner: _____ Date / Datum: _____
Phone / Telefon: _____

To / An:
Carrier Agility (Partner for Frankreich, Großbritannien, Irland, Spanien, Portugal, Ceuta)

Order acceptance / Auftragsannahme:
Fr Christina Malianou; Tel. +49 7160 3922 251; Fax +49 7160 3922 179; zf-service-germany@agility.com

 **Announcement of transport** / Transportanmeldung 

Old core clutches / Alte Kuppelungen

Destination / Ziel:
ZF Friedrichshafen AG, Windelsbleicher Str. 80, 33647 Bielefeld

We have from date / Wir haben ab Datum:
in the time of / in der Zeit von: till / bis:
subsequent delivery with **delivery note - nr.** / nachfolgende Sendung Lieferchein Nr.:

to pick up and ask for takeover and order confirmation (Minimum: 1 pallet),
zur Abholung bereitsetzen und bitten um Übernahme und Auftragsbestätigung (Minimum: 1 Palette).

Amount	Packaging	Dimensions	Content	Gross weight
Anzahl	Verpackung	Abmaße	Inhalt	Bruttogewicht
.....
.....

Delivery condition: FCA loading point according to Incoterms® 2010
Lieferkondition: FCA Verladeort gem. Incoterms® 2010
(Freight costs carried by ZF Friedrichshafen AG, ZF Aftermarket Schweinfurt)
(Frachtkosten zu Lasten ZF Friedrichshafen AG, ZF Aftermarket Schweinfurt)

No liability is accepted for incorrectly sent in old parts.
Für falsch eingeschickte Altfahrteile wird keine Haftung übernommen.

EN 2018





AFTERMARKET

Thank you.

