

# WINNARD

## PRODUCT FOCUS

### WHEEL END HUBS & HUB KITS



FITTED WITH  
**FAG**  
BEARINGS

NOW SUPPLIED WITH WHEEL NUTS\*

Thos. Winnard & Sons Ltd & Winnard France SAS 2024


\* Only Popular DAF, Renault and Volvo Hubkits are supplied with Wheel Nuts.

# WINNARD

JANUARY 2025

## HUBS & HUBKITS

### DIMENSION SPECIFICATION KEY



**FAG**  
BEARINGS  
&  
ABS RING\*

### BARE HUB (NO BEARING)

### HUB WITH BEARING

### COMPLETE WHEEL END KIT

#### HUB0001NB

SUPPLIED WITHOUT BEARING

#### HUB0001

SUPPLIED WITH FAG BEARING

##### Specification


|                         |       |
|-------------------------|-------|
| (A) OUTER BEARING DIA.: | 148   |
| (B) INNER BEARING DIA.: | 148   |
| (C) STUD HOLE DIA.:     | 25    |
| (D) HEIGHT              | 295   |
| (E) OUTER FLANGE DIA.:  | 381   |
| WEIGHT                  | 40 kg |

USES FAG BEARING: 566283.01.H195

HUB OEM: 1657637, 1812161-



Identification tip:  
ABS Ring, ABS0010 (FAG 434057910), is square.



#### HUB0002NB

SUPPLIED WITHOUT BEARING

#### HUB0002

SUPPLIED WITH FAG BEARING

##### Specification


|                         |       |
|-------------------------|-------|
| (A) OUTER BEARING DIA.: | 148   |
| (B) INNER BEARING DIA.: | 148   |
| (C) STUD HOLE DIA.:     | 25    |
| (D) HEIGHT              | 287   |
| (E) OUTER FLANGE DIA.:  | 381   |
| WEIGHT                  | 39 kg |

USES FAG BEARING: 566283.01.H195

HUB OEM: 1389061, 1391617, 1818003, 1956108, 2015333, 2019853



Identification tip:  
ABS Ring, ABS0012 (FAG 44340580100), is angled.



#### HUBKIT0001

SUPPLIED WITH FAG BEARING & ABS RING, BRAKE DISC, STUDS & NUTS

##### Vehicle Applications

|                 |       |
|-----------------|-------|
| DAF CF, LF & XF | 2000- |
| FODEN ALPHA     | 2001- |
| VAN HOOL T9     | 2003- |

REAR AXLE



HUB OEM: 1657637, 1812161-

NOTES: FITTED WITH DA1063 BRAKE DISC, FAG BEARING & ABS RING. SOLID BRAKE DISC ALSO AVAILABLE.

SUPPLIED WITH WHEEL NUTS



#### HUBKIT0002

SUPPLIED WITH FAG BEARING & ABS RING, BRAKE DISC, STUDS & NUTS

##### Vehicle Applications

|                 |       |
|-----------------|-------|
| DAF CF, LF & XF | 2000- |
| FODEN ALPHA     | 2001- |
| VAN HOOL T9     | 2003- |

REAR AXLE



HUB OEM: 1389061, 1391617, 1818003, 1956108, 2015333, 2019853

NOTES: FITTED WITH DA1063 BRAKE DISC, FAG BEARING & ABS RING. SOLID BRAKE DISC ALSO AVAILABLE.

SUPPLIED WITH WHEEL NUTS





**BARE HUB (NO BEARING)****HUB WITH BEARING****HUB0003NB**

SUPPLIED WITHOUT BEARING

|                         |       |
|-------------------------|-------|
| Specification           |       |
| (A) OUTER BEARING DIA.: | 119.7 |
| (B) INNER BEARING DIA.: | 124.7 |
| (C) STUD HOLE DIA.:     | 25    |
| (D) HEIGHT              | 210   |
| (E) OUTER FLANGE DIA.:  | 386   |
| WEIGHT                  | 29 kg |

**USES FAG BEARING:** 566834.H195**HUB OEM:** 1388905, 1391615, 1697346 but check hub design.  
O.E. & WINNARD versions have a petalled hub mounting face.See part identification technical bulleting for HUB0003 & HUB0004.  
These hubs are frequently interchanged.**HUB0003**

SUPPLIED WITH FAG BEARING

**HUB0004NB**

SUPPLIED WITHOUT BEARING

|                         |       |
|-------------------------|-------|
| Specification           |       |
| (A) OUTER BEARING DIA.: | 125   |
| (B) INNER BEARING DIA.: | 125   |
| (C) STUD HOLE DIA.:     | 25    |
| (D) HEIGHT              | 210   |
| (E) OUTER FLANGE DIA.:  | 383   |
| WEIGHT                  | 35 kg |

**USES FAG BEARING:** 566074.H195**HUB OEM:** 16912621, 1699327, 1818004 but check hub design.  
O.E. & WINNARD versions have a fully round hub mounting face.See part identification technical bulleting for HUB0003 & HUB0004.  
These hubs are frequently interchanged.**HUB0004**

SUPPLIED WITH FAG BEARING

**HUB0005NB**

SUPPLIED WITHOUT BEARING

|                         |         |
|-------------------------|---------|
| Specification           |         |
| (A) OUTER BEARING DIA.: | 125     |
| (B) INNER BEARING DIA.: | 125     |
| (C) STUD HOLE DIA.:     | 27.2    |
| (D) HEIGHT              | 223     |
| (E) OUTER FLANGE DIA.:  | 383     |
| WEIGHT                  | 29.8 kg |

**USES FAG BEARING:** 566426.H195**HUB OEM:** 3092719, 3988831, 85101818, 85105693, 85111794, 85114471

See HUB0008 / HUBKIT0008 for Metric stud version

**HUB0005**

SUPPLIED WITH FAG BEARING

IMPERIAL STUD  
APPLICATION**COMPLETE WHEEL END KIT****HUBKIT0003****DAF**

SUPPLIED WITH FAG BEARING &amp; ABS RING, BRAKE DISC, STUDS &amp; NUTS

**SUPPLIED WITH WHEEL NUTS****Vehicle Applications**

|                 |       |
|-----------------|-------|
| DAF CF, LF & XF | 2000- |
| FODEN ALPHA     | 2001- |
| VAN HOOL T9     | 2003- |

FRONT AXLE

Hub Service Kist available:  
HUB CAP, LOCKING PLATES. PART# HSK0003**HUB OEM:** 1388905, 1391615, 1697346.**NOTES:** FITTED WITH DA1063 BRAKE DISC, FAG BEARING & ABS RING.  
SOLID BRAKE DISC ALSO AVAILABLE.**HUBKIT0004****DAF**

SUPPLIED WITH FAG BEARING &amp; ABS RING, BRAKE DISC, STUDS &amp; NUTS

**SUPPLIED WITH WHEEL NUTS****Vehicle Applications**

|                 |       |
|-----------------|-------|
| DAF CF, LF & XF | 2000- |
| FODEN ALPHA     | 2001- |
| VAN HOOL T9     | 2003- |

FRONT AXLE

Hub Service Kist available:  
HUB CAP, LOCKING PLATES. PART# HSK0004**HUB OEM:** 16912621, 1699327, 1818004**NOTES:** FITTED WITH DA1063 BRAKE DISC, FAG BEARING & ABS RING.  
SOLID BRAKE DISC ALSO AVAILABLE.**HUBKIT0005****REN & VOLVO**

SUPPLIED WITH FAG BEARING, ABS RING, BRAKE DISC &amp; STUDS FITTED

**Vehicle Applications**

|                  |
|------------------|
| RENAULT PREMIUM  |
| VOLVO FH, FL, FM |

FRONT &amp; LIFT AXLE

IMPERIAL STUD  
APPLICATION**HUB OEM:** 3092719, 3988831, 85101818, 85105693, 85111794, 85114471**NOTES:** CAN BE FITTED WITH SOLID (434mm VO1083 / 410mm VO1078) or  
VENTED (434mm VO1071 / 410mm VO1079) BRAKE DISC.**WHEEL STUD OPTIONS:**

WS0004 (OEM 1573081 86mm) or WS0005 (OEM 3112593 77mm)

**HUB0007NB**

SUPPLIED WITHOUT BEARING

|                         |         |
|-------------------------|---------|
| Specification           |         |
| (A) OUTER BEARING DIA.: | 148     |
| (B) INNER BEARING DIA.: | 148     |
| (C) STUD HOLE DIA.:     | 25      |
| (D) HEIGHT              | 270     |
| (E) OUTER FLANGE DIA.:  | 383     |
| WEIGHT                  | 33.4 kg |

**USES FAG BEARING:** 566425.H195**HUB OEM:** 20535263, 7420535263, 7485107753, 85107753

Metric stud version of HUB0012 / HUBKIT0012

**HUB0007**

SUPPLIED WITH FAG BEARING

**HUBKIT0007****REN & VOLVO**

SUPPLIED WITH FAG BEARING, ABS RING, BRAKE DISC, STUDS &amp; NUTS

**SUPPLIED WITH WHEEL NUTS****Vehicle Applications**

|                  |
|------------------|
| RENAULT PREMIUM  |
| VOLVO FH, FL, FM |

REAR AXLE

**HUB OEM:** 20535263, 7420535263, 7485107753, 85107753**NOTES:** CAN BE FITTED WITH SOLID (434mm VO1083 / 410mm VO1078) or  
VENTED (434mm VO1071 / 410mm VO1079) BRAKE DISC.**WHEEL STUD OPTIONS:**WS0012 (OEM 20515517 95mm)  
WS0014 (OEM 20515519 104mm)  
WS0015 (OEM 21147687 113mm)\*Half Shaft Service Kit available:  
PART# HSK0007

**BARE HUB (NO BEARING)****HUB WITH BEARING****HUB0008NB**

SUPPLIED WITHOUT BEARING

## Specification

|                         |         |
|-------------------------|---------|
| (A) OUTER BEARING DIA.: | 125     |
| (B) INNER BEARING DIA.: | 125/68* |
| (C) STUD HOLE DIA.:     | 25      |
| (D) HEIGHT              | 223     |
| (E) OUTER FLANGE DIA.:  | 383     |
| WEIGHT                  | 30.4 kg |

\* STUB AXLE DIA 68mm, see HUB0047 for 58mm version

USES FAG BEARING: 566426.H195

HUB OEM: 1026798, 20535202, 21116569, 3989341, 3988930, 85107750, 85111448, 85111791, 85114470



Metric stud version of HUB0005 / HUBKIT0005

**HUB0008**

SUPPLIED WITH FAG BEARING

**HUB0009NB**

SUPPLIED WITHOUT BEARING

## Specification

|                         |       |
|-------------------------|-------|
| (A) OUTER BEARING DIA.: | 148   |
| (B) INNER BEARING DIA.: | 148   |
| (C) STUD HOLE DIA.:     | 25    |
| (D) HEIGHT              | 226   |
| (E) OUTER FLANGE DIA.:  | 383   |
| WEIGHT                  | 33 kg |

USES FAG BEARING: 566425.H195

HUB OEM: 1026662, 20517168, 85107752, 85109244

**HUB0009**

SUPPLIED WITH FAG BEARING

**HUB0012NB**

SUPPLIED WITHOUT BEARING

## Specification

|                         |         |
|-------------------------|---------|
| (A) OUTER BEARING DIA.: | 148     |
| (B) INNER BEARING DIA.: | 148     |
| (C) STUD HOLE DIA.:     | 27.2    |
| (D) HEIGHT              | 270     |
| (E) OUTER FLANGE DIA.:  | 383     |
| WEIGHT                  | 33.2 kg |

USES FAG BEARING: 566425.H195

HUB OEM: 20476383, 3988833, 3988837, 85105696



Metric stud version is HUB0007 / HUBKIT0007

**HUB0012**

SUPPLIED WITH FAG BEARING

IMPERIAL STUD  
APPLICATION**HUB0013NB**

SUPPLIED WITHOUT BEARING

## Specification

|                         |         |
|-------------------------|---------|
| (A) OUTER BEARING DIA.: | 110     |
| (B) INNER BEARING DIA.: | 110     |
| (C) STUD HOLE DIA.:     | 25      |
| (D) HEIGHT              | 224     |
| (E) OUTER FLANGE DIA.:  | 383.5   |
| WEIGHT                  | 27.8 kg |

USES FAG BEARING: 566427.H195

HUB OEM: 85107748, 85107749, 85111789



Imperial stud version is HUB0024 / HUBKIT0024

**HUB0013**

SUPPLIED WITH FAG BEARING

**COMPLETE WHEEL END KIT****HUBKIT0008****REN & VOLVO**

SUPPLIED WITH FAG BEARING, ABS RING, BRAKE DISC, STUDS &amp; NUTS

## Vehicle Applications

RENAULT PREMIUM  
VOLVO BUS  
VOLVO FH, FL, FM

SUPPLIED WITH WHEEL NUTS

FRONT AXLE

\* STUB AXLE DIAMETER 68mm,  
SEE HUB0047 FOR 58mm VERSION

NOTES: CAN BE FITTED WITH SOLID (434mm VO1083 / 410mm VO1078) or VENTED (434mm VO1071 / 410mm VO1079) BRAKE DISC.

## WHEEL STUD OPTIONS:

WS0009 (OEM 20515514 78mm)  
WS0010 (OEM 20515515 88mm)  
WS0014 (OEM 20515519 104mm)**HUBKIT0009****REN & VOLVO**

SUPPLIED WITH FAG BEARING, ABS RING, BRAKE DISC, STUDS &amp; NUTS

## Vehicle Applications

RENAULT PREMIUM  
VOLVO BUS  
VOLVO FH, FL, FM

SUPPLIED WITH WHEEL NUTS

REAR AXLE



NOTES: CAN BE FITTED WITH SOLID (434mm VO1083 / 410mm VO1078) or VENTED (434mm VO1071 / 410mm VO1079) BRAKE DISC.

## WHEEL STUD OPTIONS:

WS0012 (OEM 20515517 95mm)  
WS0013 (OEM 20515518 100mm)  
WS0014 (OEM 20515519 104mm)  
See website for full options**HUBKIT0012****REN & VOLVO**

SUPPLIED WITH FAG BEARING, ABS RING, BRAKE DISC &amp; STUDS FITTED

## Vehicle Applications

RENAULT PREMIUM  
VOLVO BUS  
VOLVO FH, FL, FM

REAR AXLE

IMPERIAL STUD  
APPLICATION

HUB OEM: 20476383, 3988833, 3988837, 85105696

NOTES: CAN BE FITTED WITH SOLID (434mm VO1083 / 410mm VO1078) or VENTED (434mm VO1071 / 410mm VO1079) BRAKE DISC.

## WHEEL STUD OPTIONS:

WS0008 (OEM 3963997 95mm)  
WS0006 (OEM 1573082 106mm)  
WS0007 (OEM 1589009 110mm)**HUBKIT0013****REN & VOLVO**

SUPPLIED WITH FAG BEARING, ABS RING, BRAKE DISC, STUDS &amp; NUTS

## Vehicle Applications

RENAULT PREMIUM  
VOLVO BUS  
VOLVO FH, FL, FM

FRONT AXLE



HUB OEM: 85107748, 85107749, 85111789

NOTES: CAN BE FITTED WITH SOLID (434mm VO1083 / 410mm VO1078) or VENTED (434mm VO1071 / 410mm VO1079) BRAKE DISC.

## WHEEL STUD OPTIONS:

WS0009 (OEM 20515514 78mm)  
WS0010 (OEM 20515515 88mm)  
WS0011 (OEM 20515516 90mm)  
See web site for full options



**BARE HUB (NO BEARING)****HUB WITH BEARING****HUB0014NB**

SUPPLIED WITHOUT BEARING

## Specification

|                         |         |
|-------------------------|---------|
| (A) OUTER BEARING DIA.: | 110     |
| (B) INNER BEARING DIA.: | 110     |
| (C) STUD HOLE DIA.:     | 25      |
| (D) HEIGHT              | 224     |
| (E) OUTER FLANGE DIA.:  | 384     |
| WEIGHT                  | 25.4 kg |

**USES FAG BEARING:** 566427.H195**HUB OEM:** 121024206, 8505694, 85100557, 85107751, 85111790, 85111793

Imperial stud version is HUB0018 / HUBKIT0018

**HUB0014**

SUPPLIED WITH FAG BEARING

**HUB0015NB**

SUPPLIED WITHOUT BEARING

## Specification

|                         |         |
|-------------------------|---------|
| (A) OUTER BEARING DIA.: | 138     |
| (B) INNER BEARING DIA.: | 138     |
| (C) STUD HOLE DIA.:     | 22      |
| (D) HEIGHT              | 184     |
| (E) OUTER FLANGE DIA.:  | 386     |
| WEIGHT                  | 25.6 kg |

**USES FAG BEARING:** 566868.H195**HUB OEM:** 3.307.3030.00, 3.307.3030.01, 3307303000, 3307303001**HUB0015**

SUPPLIED WITH FAG BEARING

**HUB0016NB**

SUPPLIED WITHOUT BEARING

## Specification

|                         |         |
|-------------------------|---------|
| (A) OUTER BEARING DIA.: | 138     |
| (B) INNER BEARING DIA.: | 138     |
| (C) STUD HOLE DIA.:     | 22      |
| (D) HEIGHT              | 154     |
| (E) OUTER FLANGE DIA.:  | 383     |
| WEIGHT                  | 28.4 kg |

**USES FAG BEARING:** 566193.H195**HUB OEM:** 1428396, 1613331, 1812160**HUB0016**

SUPPLIED WITH FAG BEARING

**HUB0018NB**

SUPPLIED WITHOUT BEARING

## Specification

|                         |         |
|-------------------------|---------|
| (A) OUTER BEARING DIA.: | 110     |
| (B) INNER BEARING DIA.: | 110     |
| (C) STUD HOLE DIA.:     | 27.3    |
| (D) HEIGHT              | 224     |
| (E) OUTER FLANGE DIA.:  | 384     |
| WEIGHT                  | 25.4 kg |

**USES FAG BEARING:** 566427.H195**HUB OEM:** 85105694, 85111793**HUB0018**

SUPPLIED WITH FAG BEARING



Metric stud version is HUB0014 / HUBKIT0014

**COMPLETE WHEEL END KIT****HUBKIT0014****REN / VOLVO**

SUPPLIED WITH FAG BEARING &amp; ABS RING, BRAKE DISC, STUDS &amp; NUTS

## Vehicle Applications

**SUPPLIED WITH WHEEL NUTS**RENAULT PREMIUM-  
VOLVO FE / FH / FM

FRONT AXLE

**HUB OEM:** 121024206, 8505694, 85100557, 85107751, 85111790, 85111793**NOTES:** CAN BE FITTED WITH SOLID (375mm VO1072) or VENTED (375mm VO1077 BRAKE DISC.**WHEEL STUD OPTIONS:**

WS0009 (OEM 20515514 78mm)

WS0010 (OEM 20515515 88mm)

WS0014 (OEM 20515516 90mm)

See web site for full stud options

**HUBKIT0015****SAF**

## Vehicle Applications

SAF SK RB9019  
SAF SK RB9022

TRAILER AXLE

**HUB OEM:** 3.307.3030.00, 3.307.3030.01, 3307303000, 3307303001**FITS WITH BRAKE DISC:** SAU1030 or SAU1031

**HUBKIT NOT  
CURRENTLY AVAILABLE**  
Check [www.winnard.co.uk](http://www.winnard.co.uk)  
for latest availability

**HUBKIT0016****DAF**

SUPPLIED WITH FAG BEARING, ABS RING, BRAKE DISC, STUDS &amp; NUTS

## Vehicle Applications

**SUPPLIED WITH WHEEL NUTS**DAF CF, LF & XF 2010-  
With 9 Ton Axle

FRONT AXLE

**HUB OEM:** 1428396, 1613331, 1812160**NOTES:** FITTED WITH DA1063 BRAKE DISC, FAG BEARING & ABS RING.  
SOLID BRAKE DISC ALSO AVAILABLE.**HUBKIT0018****REN / VOLVO**

SUPPLIED WITH FAG BEARING, ABS RING, BRAKE DISC &amp; STUDS

## Vehicle Applications

VOLVO (Various applications)

FRONT AXLE



**IMPERIAL STUD  
APPLICATION**

**HUB OEM:** 85105694, 85111793**NOTES:** CAN BE FITTED WITH SOLID (375mm VO1072) or VENTED (375mm VO1077 BRAKE DISC.**WHEEL STUD OPTIONS:**

WS0004 (OEM 1573081 86mm)

WS0005 (OEM 3112593 115mm)



**BARE HUB (NO BEARING)****HUB0019NB**

SUPPLIED WITHOUT BEARING

## Specification

|                         |         |
|-------------------------|---------|
| (A) OUTER BEARING DIA.: | 148     |
| (B) INNER BEARING DIA.: | 148     |
| (C) STUD HOLE DIA.:     | 27      |
| (D) HEIGHT              | 226     |
| (E) OUTER FLANGE DIA.:  | 383     |
| WEIGHT                  | 31.8 kg |

USES FAG BEARING: 566425.H195

HUB OEM: 85105695

**HUB WITH BEARING****HUB0019**

SUPPLIED WITH FAG BEARING

**COMPLETE WHEEL END KIT****HUBKIT0019****REN / VOLVO**

SUPPLIED WITH FAG BEARING &amp; ABS RING, BRAKE DISC &amp; STUDS

## Vehicle Applications

RENAULT & VOLVO  
(Various applications)

LIFT AXLE



IMPERIAL STUD

APPLICATION

**NOTES:** CAN BE FITTED WITH SOLID (434mm VO1083 / 410mm VO1078) or VENTED (434mm VO1071 / 410mm VO1079) BRAKE DISC.**WHEEL STUD OPTIONS:**WS0004 (OEM 1573081 86mm)  
WS0005 (OEM 3112593 115mm)**HUB0021NB**

SUPPLIED WITHOUT BEARING

## Specification

|                         |         |
|-------------------------|---------|
| (A) OUTER BEARING DIA.: | 130     |
| (B) INNER BEARING DIA.: | 130     |
| (C) STUD HOLE DIA.:     | 27      |
| (D) HEIGHT              | 224     |
| (E) OUTER FLANGE DIA.:  | 383     |
| WEIGHT                  | 30.2 kg |

USES FAG BEARING: 631903.05.H195

HUB OEM: 21102556, 21550437

**HUB0021**

SUPPLIED WITH FAG BEARING

**HUBKIT0021****REN / VOLVO**

SUPPLIED WITH FAG BEARING &amp; ABS RING, BRAKE DISC &amp; STUDS

## Vehicle Applications

RENAULT & VOLVO  
(Various applications)

FRONT AXLE



IMPERIAL STUD

APPLICATION

**NOTES:** CAN BE FITTED WITH SOLID (434mm VO1083 / 410mm VO1078) or VENTED (434mm VO1071 / 410mm VO1079) BRAKE DISC.**WHEEL STUD OPTIONS:**WS0004 (OEM 1573081 86mm)  
WS0005 (OEM 3112593 115mm)**HUB0024NB**

SUPPLIED WITHOUT BEARING

## Specification

|                         |         |
|-------------------------|---------|
| (A) OUTER BEARING DIA.: | 110     |
| (B) INNER BEARING DIA.: | 110     |
| (C) STUD HOLE DIA.:     | 27.2    |
| (D) HEIGHT              | 224     |
| (E) OUTER FLANGE DIA.:  | 383.5   |
| WEIGHT                  | 27.6 kg |

USES FAG BEARING: 566427.H195

HUB OEM: 7410241087, 7421021381

**HUB0024**

SUPPLIED WITH FAG BEARING

**HUBKIT0024****REN / VOLVO**

SUPPLIED WITH FAG BEARING &amp; ABS RING, BRAKE DISC &amp; STUDS

## Vehicle Applications

RENAULT & VOLVO  
(Various applications)

FRONT AXLE



IMPERIAL STUD

APPLICATION

**NOTES:** CAN BE FITTED WITH SOLID (434mm VO1083 / 410mm VO1078) or VENTED (434mm VO1071 / 410mm VO1079) BRAKE DISC.**WHEEL STUD OPTIONS:**WS0004 (OEM 1573081 86mm)  
WS0005 (OEM 3112593 115mm)

Metric stud version is HUB0013 / HUBKIT0013

**HUB0026NB**

SUPPLIED WITHOUT BEARING

## Specification

|                         |         |
|-------------------------|---------|
| (A) OUTER BEARING DIA.: | 148     |
| (B) INNER BEARING DIA.: | 148     |
| (C) STUD HOLE DIA.:     | 25      |
| (D) HEIGHT              | 287     |
| (E) OUTER FLANGE DIA.:  | 383.4   |
| WEIGHT                  | 35.8 kg |

USES FAG BEARING: 566425.H195

HUB OEM: 7420819859

**HUB0026**

SUPPLIED WITH FAG BEARING

**HUBKIT0026****REN / VOLVO**

SUPPLIED WITH FAG BEARING &amp; ABS RING, BRAKE DISC &amp; STUDS

## Vehicle Applications

RENAULT & VOLVO  
Differential Axle)

REAR AXLE



SUPPLIED WITH WHEEL NUTS

**NOTES:** CAN BE FITTED WITH SOLID (434mm VO1083) or VENTED (434mm VO1071) BRAKE DISC.**WHEEL STUD OPTIONS:**WS0012 (OEM 20515517 95mm)  
WS0013 (OEM 20515518 100mm)  
WS0014 (OEM 20515519 104mm)  
See website for full options



**BARE HUB (NO BEARING)****HUB0029NB**

SUPPLIED WITHOUT BEARING

## Specification

|                         |         |
|-------------------------|---------|
| (A) OUTER BEARING DIA.: | 148     |
| (B) INNER BEARING DIA.: | 148     |
| (C) STUD HOLE DIA.:     | 25      |
| (D) HEIGHT              | 192     |
| (E) OUTER FLANGE DIA.:  | 384     |
| WEIGHT                  | 23.4 kg |

**USES FAG BEARING:** 566425.H195**HUB OEM:** 20518053, 20535244, 20535245, 21336855, 21336856, 21336857, 3988774

Imperial stud version is HUB0040 / HUBKIT0040

**HUB WITH BEARING****HUB0029**

SUPPLIED WITH FAG BEARING

**HUB0031NB**

SUPPLIED WITHOUT BEARING

## Specification

|                         |         |
|-------------------------|---------|
| (A) OUTER BEARING DIA.: | 147     |
| (B) INNER BEARING DIA.: | 147     |
| (C) STUD HOLE DIA.:     | 22.3    |
| (D) HEIGHT              | 210.5   |
| (E) OUTER FLANGE DIA.:  | 380     |
| WEIGHT                  | 24.4 kg |

**USES FAG BEARING:** KHM218248.218210**HUB OEM:** 1382884**HUB0031**

SUPPLIED WITH FAG BEARING

**HUB0032NB**

SUPPLIED WITHOUT BEARING

## Specification

|                         |         |
|-------------------------|---------|
| (A) OUTER BEARING DIA.: | 147     |
| (B) INNER BEARING DIA.: | 147     |
| (C) STUD HOLE DIA.:     | 24      |
| (D) HEIGHT              | 213.5   |
| (E) OUTER FLANGE DIA.:  | 380     |
| WEIGHT                  | 24.4 kg |

**USES FAG BEARING:** KHM218248.218210**HUB OEM:** 1800283, 2290542**HUB0032**

SUPPLIED WITH FAG BEARING

**HUB0033NB**

SUPPLIED WITHOUT BEARING

## Specification

|                         |         |
|-------------------------|---------|
| (A) OUTER BEARING DIA.: | 148     |
| (B) INNER BEARING DIA.: | 148     |
| (C) STUD HOLE DIA.:     | 25.3    |
| (D) HEIGHT              | 157     |
| (E) OUTER FLANGE DIA.:  | 385.5   |
| WEIGHT                  | 26.4 kg |

**USES FAG BEARING:** 566425.H195**HUB OEM:** 20535207, 20819804, 20819806, 20820402, 21328177, 21328181**HUB0033**

SUPPLIED WITH FAG BEARING

**COMPLETE WHEEL END KIT****HUBKIT0029****VOLVO**

SUPPLIED WITH FAG BEARING &amp; ABS RING &amp; STUDS

## Vehicle Applications

VOLVO  
(Various applications)

REAR AXLE

DRUM  
OPTIONSVO1041  
VO1042**NOTES:** BRAKE DRUM NOT INCLUDED BUT CAN BE SUPPLIED SEPARATELY.

## WHEEL STUD OPTIONS:

WS0014 (OEM 20515519 104mm)  
WS0005 (OEM 20553560 123mm)**HUBKIT0031****SCANIA**

SUPPLIED WITH FAG BEARING &amp; ABS RING, BRAKE DISC &amp; STUDS

## Vehicle Applications

SCANIA

SQUARE HEAD  
WHEEL STUD

REAR AXLE

PRELOAD SLEEVE  
AVAILABLE  
HSK0032-1**NOTES:** CAN BE FITTED WITH VENTED (SC1023) or SOLID (SC1023S) BRAKE DISC

## WHEEL STUD OPTIONS:

WS0018 (OEM 0295953 85mm)  
WS0019 (OEM 1368694 96mm)  
WS0020 (OEM 1368695 102mm)**HUBKIT0032****SCANIA**

SUPPLIED WITH FAG BEARING &amp; ABS RING, BRAKE DISC &amp; STUDS

## Vehicle Applications

SCANIA

ROUND HEAD  
WHEEL STUD

REAR AXLE

PRELOAD SLEEVE  
AVAILABLE  
HSK0032-1**NOTES:** CAN BE FITTED WITH VENTED (SC1023) or SOLID (SC1023S) BRAKE DISC

## WHEEL STUD OPTIONS:

WS0024 (OEM 1868667 81mm)  
WS0022 (OEM 1528712 85mm)  
WS0021 (OEM 1528655 102mm)**HUBKIT0033****VOLVO**

SUPPLIED WITH FAG BEARING &amp; ABS RING &amp; STUDS

## Vehicle Applications

VOLVO (DRUM BRAKE)

REAR AXLE

**NOTES:** BRAKE DRUM NOT INCLUDED BUT CAN BE SUPPLIED SEPARATELY.

## WHEEL STUD OPTIONS:

WS0014 (OEM 20515519 104mm)  
WS0015 (OEM 21147687 113mm)

**BARE HUB (NO BEARING)****HUB0035NB**

SUPPLIED WITHOUT BEARING

## Specification

|                         |         |
|-------------------------|---------|
| (A) OUTER BEARING DIA.: | 127.3   |
| (B) INNER BEARING DIA.: | 147     |
| (C) STUD HOLE DIA.:     | 24      |
| (D) HEIGHT              | 213.5   |
| (E) OUTER FLANGE DIA.:  | 380     |
| WEIGHT                  | 24.4 kg |

USES FAG BEARING: 571762.01.H195

Ø335

HUB OEM: 1864430

**HUB WITH BEARING****HUB0035**

SUPPLIED WITH FAG BEARING

**COMPLETE WHEEL END KIT****HUBKIT0035**

SUPPLIED WITH FAG BEARING, HUB BOLTS &amp; ABS RING, HUB CAP, DISC &amp; STUDS

## Vehicle Applications

SCANIA

FRONT AXLE

SCREW ON  
HUB CAPROUND HEAD  
WHEEL STUD

NOTES: CAN BE FITTED WITH VENTED (SC1023) or SOLID (SC1023S) BRAKE DISC

## WHEEL STUD OPTIONS:

|                     |       |
|---------------------|-------|
| WS0023 (OEM 1868665 | 72mm) |
| WS0024 (OEM 1868667 | 81mm) |

**HUB0036NB**

SUPPLIED WITHOUT BEARING

## Specification

|                         |         |
|-------------------------|---------|
| (A) OUTER BEARING DIA.: | 127.3   |
| (B) INNER BEARING DIA.: | 127     |
| (C) STUD HOLE DIA.:     | 24      |
| (D) HEIGHT              | 137     |
| (E) OUTER FLANGE DIA.:  | 375     |
| WEIGHT                  | 24.4 kg |

USES FAG BEARING: 571762.01.H195

HUB OEM: 2290532

**HUB0036**

SUPPLIED WITH FAG BEARING

**HUBKIT0036**

SUPPLIED WITH FAG BEARING &amp; ABS RING &amp; STUDS

## Vehicle Applications

VOLVO (DRUM BRAKE)

FRONT AXLE

DRUM  
OPTIONSSC1021 203mm  
SC1022 178mm

NOTES: BRAKE DRUM NOT INCLUDED BUT CAN BE SUPPLIED SEPARATELY.

## WHEEL STUD OPTIONS:

|                     |       |
|---------------------|-------|
| WS0023 (OEM 1868665 | 72mm) |
| WS0024 (OEM 1868667 | 81mm) |

**HUB0037NB**

SUPPLIED WITHOUT BEARING

## Specification

|                         |       |
|-------------------------|-------|
| (A) OUTER BEARING DIA.: | 112.6 |
| (B) INNER BEARING DIA.: | 62    |
| (C) STUD HOLE DIA.:     | 24    |
| (D) HEIGHT              | 169   |
| (E) OUTER FLANGE DIA.:  |       |
| WEIGHT                  | 15 kg |

USES FAG BEARING: 1400078, 32206A, 26677690210, K39581.39520

HUB OEM: 1408100

**HUB0037**

SUPPLIED WITH FAG BEARING

**HUBKIT0037**

SUPPLIED WITH FAG BEARING, ABS RING, HUB BOLTS, DISC &amp; STUDS

## Vehicle Applications

DAF LF45 Series 12 Ton - PAN17

FRONT AXLE



NOTES: CAN BE FITTED WITH CAST ABS (DA1048) or STEEL (DA1054) DISC

**HUB0038NB**

SUPPLIED WITHOUT BEARING

## Specification


|                         |         |
|-------------------------|---------|
| (A) OUTER BEARING DIA.: | 140     |
| (B) INNER BEARING DIA.: | 140     |
| (C) STUD HOLE DIA.:     | 22      |
| (D) HEIGHT              | 169.5   |
| (E) OUTER FLANGE DIA.:  |         |
| WEIGHT                  | 25.2 kg |

USES FAG BEARING: 201034, KHM218248.218210

HUB OEM: 10003500535, 0003502335, A0003502335, A942010271, JAE0120802471

**HUB0038**

SUPPLIED WITH FAG BEARING

Supplied with hub bolts  
HSK0038-3 when supplied  
with bearing fitted**HUBKIT0038**

SUPPLIED WITH FAG BEARING, HUB BOLTS, ABS RING, HUB CAP, FIXINGS &amp; WHEEL STUDS

## Vehicle Applications

DISCOS, JOST DCA - TE - TL

TRAILER AXLE



NOTES: CAN BE FITTED WITH 430mm (MNE1065) or 377mm (MNE1108) DISC

## WHEEL STUD OPTIONS:

|                             |       |
|-----------------------------|-------|
| WS0025 (OEM 0004012371      | 68mm) |
| WS0026 (OEM JAE012080247110 | 91mm) |

## ABS RING OPTIONS:

|                          |           |
|--------------------------|-----------|
| ABS0027 (OEM 9463340015) | 100 Teeth |
| ABS0028 (OEM 9463340515) | 90 Teeth  |



**BARE HUB (NO BEARING)****HUB WITH BEARING****HUB0039NB**

SUPPLIED WITHOUT BEARING

## Specification

|                         |        |
|-------------------------|--------|
| (A) OUTER BEARING DIA.: | 62     |
| (B) INNER BEARING DIA.: | 95     |
| (C) STUD HOLE DIA.:     | 19     |
| (D) HEIGHT              | 144.5  |
| (E) OUTER FLANGE DIA.:  |        |
| WEIGHT                  | 7.8 kg |

USES FAG BEARING: 201080, 1400081

HUB OEM: 1407382, NJK3913RM

**HUB0039**

SUPPLIED WITH FAG BEARING

**HUB0040NB**

SUPPLIED WITHOUT BEARING

## Specification

|                         |         |
|-------------------------|---------|
| (A) OUTER BEARING DIA.: | 148     |
| (B) INNER BEARING DIA.: | 148     |
| (C) STUD HOLE DIA.:     | 27.2    |
| (D) HEIGHT              | 192     |
| (E) OUTER FLANGE DIA.:  | 384     |
| WEIGHT                  | 23.4 kg |

USES FAG BEARING: 566425.H195

HUB OEM: 20476519, 20518054, 3943982, 3988774



Metric stud version is HUB0029 / HUBKIT0029

**HUB0040**

SUPPLIED WITH FAG BEARING

**HUB0042NB**

SUPPLIED WITHOUT BEARING

## Specification

|                         |         |
|-------------------------|---------|
| (A) OUTER BEARING DIA.: | 148     |
| (B) INNER BEARING DIA.: | 148     |
| (C) STUD HOLE DIA.:     | 25      |
| (D) HEIGHT              | 197.5   |
| (E) OUTER FLANGE DIA.:  | 383.5   |
| WEIGHT                  | 30.6 kg |

USES FAG BEARING: 566425.H195

HUB OEM: 20499881, 20820420

**HUB0042**

SUPPLIED WITH FAG BEARING

**HUB0046NB**

SUPPLIED WITHOUT BEARING

## Specification

|                         |         |
|-------------------------|---------|
| (A) OUTER BEARING DIA.: | 147     |
| (B) INNER BEARING DIA.: | 147     |
| (C) STUD HOLE DIA.:     | 22.3    |
| (D) HEIGHT              | 213.5   |
| (E) OUTER FLANGE DIA.:  | 380     |
| WEIGHT                  | 29.8 kg |

USES FAG BEARING: KHM218248.218210

HUB OEM: 1724790

**HUB0046**

SUPPLIED WITH FAG BEARING

**COMPLETE WHEEL END KIT****HUBKIT0039****DAF**

SUPPLIED WITH FAG BEARING &amp; ABS RING, SEAL &amp; WHEEL STUDS

## Vehicle Applications

DAF LF45 Series Exc 12 Ton - PAN17

FRONT AXLE



NOTES: FITTED WITH STEEL ABS RING BRAKE DISC - DA1051

**HUBKIT0040****VOLVO**

SUPPLIED WITH FAG BEARING &amp; ABS RING &amp; WHEEL STUDS

## Vehicle Applications

VOLVO FH

REAR AXLE

DRUM  
OPTIONSVO1041  
VO1042

NOTES: BRAKE DRUM NOT INCLUDED

## WHEEL STUD OPTIONS:

WS0006 (OEM 1573082 102 mm)  
WS0007 (OEM 1589009 110 mm)**HUBKIT0042****VOLVO**

SUPPLIED WITH FAG BEARING &amp; ABS RING &amp; WHEEL STUDS

## Vehicle Applications

VOLVO FH

REAR AXLE

DRUM  
OPTIONSVO1041  
VO1042

NOTES: BRAKE DRUM NOT INCLUDED

## WHEEL STUD OPTIONS:

WS0014 (OEM 20515519 104 mm)  
WS0016 (OEM 20553560 122 mm)**HUBKIT0046****SCANIA**

SUPPLIED WITH FAG BEARING &amp; ABS RING, BRAKE DISC &amp; STUDS

## Vehicle Applications

SCANIA

SQUARE HEAD  
WHEEL STUD

REAR AXLE

PRELOAD SLEEVE  
AVAILABLE  
HSK0032-1

NOTES: CAN BE FITTED WITH VENTED (SC1023) or SOLID (SC1023S) BRAKE DISC

## WHEEL STUD OPTIONS:

WS0018 (OEM 0295953 85mm)  
WS0019 (OEM 1368694 96mm)  
WS0020 (OEM 1368695 102mm)

**BARE HUB (NO BEARING)****HUB0047NB**

SUPPLIED WITHOUT BEARING

## Specification

|                         |         |
|-------------------------|---------|
| (A) OUTER BEARING DIA.: | 115     |
| (B) INNER BEARING DIA.: | 115*    |
| (C) STUD HOLE DIA.:     | 25      |
| (D) HEIGHT              | 224     |
| (E) OUTER FLANGE DIA.:  | 383     |
| WEIGHT                  | 33.2 kg |

**USES FAG BEARING:** 21954677, 22479742, F-588258.TR2I, F-611766.TR2I, FAG0024

**HUB OEM:** 21940776, 21946101, 21953590, 21983587, 21983594, 7421940776, 7421946101, 7421983590



\* Stub Axle Diameter is 58mm.  
See HUB0008 and HUB0049 for 68mm Stub Axle Diameter

**HUB WITH BEARING****HUB0047**

SUPPLIED WITH FAG BEARING

**COMPLETE WHEEL END KIT****HUBKIT0047****REN & VOLVO**

SUPPLIED WITH FAG BEARING, ABS RING, BRAKE DISC, STUDS &amp; NUTS

## Vehicle Applications

**SUPPLIED WITH WHEEL NUTS**

RENAULT PREMIUM  
VOLVO BUS  
VOLVO FH, FL, FM

FRONT AXLE



**NOTES:** CAN BE FITTED WITH SOLID (434mm VO1083 / 410mm VO1078) or VENTED (434mm VO1071 / 410mm VO1079) BRAKE DISC.

**WHEEL STUD OPTIONS:**

WS0009 (OEM 20515514 78mm)  
WS0010 (OEM 20515515 88mm)  
WS0014 (OEM 20515519 104mm)

**HUB0049NB**

SUPPLIED WITHOUT BEARING

## Specification

|                         |         |
|-------------------------|---------|
| (A) OUTER BEARING DIA.: | 125     |
| (B) INNER BEARING DIA.: | 125**   |
| (C) STUD HOLE DIA.:     | 25      |
| (D) HEIGHT              | 220*    |
| (E) OUTER FLANGE DIA.:  | 384     |
| WEIGHT                  | 35.8 kg |

**USES FAG BEARING:** 22007408, 22007411, FAG 566426.H195, U353-133256, U353-133446

**HUB OEM:** 222018115, 22036478, 22036498, 22036503, 22491569, 22548422, 7422018115, 7422036498, 7422491569



\*Hub is very similar to HUB0008, overall height is 220mm compared to 223mm

**HUB0049**

SUPPLIED WITH FAG BEARING

**HUBKIT0049****REN & VOLVO**

SUPPLIED WITH FAG BEARING, ABS RING, BRAKE DISC, STUDS &amp; NUTS

## Vehicle Applications

**SUPPLIED WITH WHEEL NUTS**

RENAULT PREMIUM  
VOLVO BUS  
VOLVO FH, FL, FM

FRONT AXLE



\*\* Stub Axle Diameter is 68mm.  
See HUB0047 for 58mm Stub Axle Diameter

**NOTES:** CAN BE FITTED WITH SOLID (434mm VO1083 / 410mm VO1078) or VENTED (434mm VO1071 / 410mm VO1079) BRAKE DISC.

**WHEEL STUD OPTIONS:**

WS0009 (OEM 20515514 78mm)  
WS0011 (OEM 20515516 90mm)

**HUB0051NB**

SUPPLIED WITHOUT BEARING

## Specification

|                         |         |
|-------------------------|---------|
| (A) OUTER BEARING DIA.: | 148     |
| (B) INNER BEARING DIA.: | 148     |
| (C) STUD HOLE DIA.:     | 24      |
| (D) HEIGHT              | 149.5   |
| (E) OUTER FLANGE DIA.:  | 375     |
| WEIGHT                  | 34.5 kg |

**USES FAG BEARING:** 566425.H195

**HUB OEM:** 1822615, 2290525, 2603319

**HUB0051**

SUPPLIED WITH FAG BEARING

**HUBKIT0051****SCANIA**

SUPPLIED WITH FAG BEARING, ABS RING, HUB BOLTS, BRAKE DISC &amp; STUDS

## Vehicle Applications

SCANIA

ROUND HEAD  
WHEEL STUD

REAR AXLE



**NOTES:** CAN BE FITTED WITH VENTED (SC1023) or SOLID (SC1023S) BRAKE DISC

**WHEEL STUD OPTIONS:**

WS0022 (OEM 1528712 85mm)

**HUB0054NB**

SUPPLIED WITHOUT BEARING

## Specification

|                         |         |
|-------------------------|---------|
| (A) OUTER BEARING DIA.: | 130     |
| (B) INNER BEARING DIA.: | 130     |
| (C) STUD HOLE DIA.:     | 19      |
| (D) HEIGHT              | 141     |
| (E) OUTER FLANGE DIA.:  | 375     |
| WEIGHT                  | 9.20 kg |

**USES FAG BEARING:** 803194.26.H195

**HUB OEM:** 1703809

**HUB0054**

SUPPLIED WITH FAG BEARING

**HUBKIT0054****DAF**

SUPPLIED WITH FAG BEARING, ABS RING, HUB BOLTS, BRAKE DISC &amp; STUDS

## Vehicle Applications

DAF LF45  
OPTARE SOLO  
WRIGHTBUS STREETLITE

REAR AXLE





**BARE HUB (NO BEARING)****HUB WITH BEARING****COMPLETE WHEEL END KIT****HUB0054NB**

SUPPLIED WITHOUT BEARING

|                         |         |
|-------------------------|---------|
| Specification           |         |
| (A) OUTER BEARING DIA.: | 110     |
| (B) INNER BEARING DIA.: | 110     |
| (C) STUD HOLE DIA.:     | 19      |
| (D) HEIGHT              | 133     |
| (E) OUTER FLANGE DIA.:  | 248     |
| WEIGHT                  | 10.8 kg |

USES FAG BEARING: 201079

HUB OEM: 1407582

**HUB0054**

SUPPLIED WITH FAG BEARING

**HUBKIT0054**

SUPPLIED WITH FAG BEARING, ABS RING, HUB BOLTS, BRAKE DISC &amp; STUDS

Vehicle Applications

DAF LF45

REAR AXLE

**DAF****HUB0056NB**

SUPPLIED WITHOUT BEARING

|                         |         |
|-------------------------|---------|
| Specification           |         |
| (A) OUTER BEARING DIA.: | 160     |
| (B) INNER BEARING DIA.: | 160     |
| (C) STUD HOLE DIA.:     | 21      |
| (D) HEIGHT              | 173     |
| (E) OUTER FLANGE DIA.:  | 316     |
| WEIGHT                  | 19.6 kg |

USES FAG BEARING: 805012.06.H195

HUB OEM: 1400289, 1702952

**HUB0056**

SUPPLIED WITH FAG BEARING

**HUBKIT0056**

SUPPLIED WITH FAG BEARING, ABS RING, HUB BOLTS, BRAKE DISC &amp; STUDS

Vehicle Applications

DAF LF45

REAR AXLE

**DAF****HUB0057NB**

SUPPLIED WITHOUT BEARING

|                         |         |
|-------------------------|---------|
| Specification           |         |
| (A) OUTER BEARING DIA.: | 130     |
| (B) INNER BEARING DIA.: | 130     |
| (C) STUD HOLE DIA.:     | 21      |
| (D) HEIGHT              | 143     |
| (E) OUTER FLANGE DIA.:  | 316     |
| WEIGHT                  | 14.6 kg |

USES FAG BEARING: 803194.26.H195

HUB OEM: 1707742

**HUB0057**

SUPPLIED WITH FAG BEARING

**HUBKIT0057**

SUPPLIED WITH FAG BEARING, ABS RING, HUB BOLTS, BRAKE DISC &amp; STUDS

Vehicle Applications

DAF LF45

REAR AXLE

**DAF****HUB0058NB**

SUPPLIED WITHOUT BEARING

|                         |         |
|-------------------------|---------|
| Specification           |         |
| (A) OUTER BEARING DIA.: | 130     |
| (B) INNER BEARING DIA.: | 130     |
| (C) STUD HOLE DIA.:     | 21      |
| (D) HEIGHT              | 143     |
| (E) OUTER FLANGE DIA.:  | 316     |
| WEIGHT                  | 18.7 kg |

USES FAG BEARING: 803194.26.H195

HUB OEM: 1703813

**HUB0058**

SUPPLIED WITH FAG BEARING

**HUBKIT0058**

SUPPLIED WITH FAG BEARING, ABS RING, HUB BOLTS, BRAKE DISC &amp; STUDS

Vehicle Applications

DAF LF45

REAR AXLE

**DAF**

**BARE HUB (NO BEARING)****HUB WITH BEARING****COMPLETE WHEEL END KIT****HUB0059NB**

SUPPLIED WITHOUT BEARING

## Specification

|                         |       |
|-------------------------|-------|
| (A) OUTER BEARING DIA.: | 160   |
| (B) INNER BEARING DIA.: | 160   |
| (C) STUD HOLE DIA.:     | 22    |
| (D) HEIGHT              | 163   |
| (E) OUTER FLANGE DIA.:  | 380   |
| WEIGHT                  | 27 kg |

USES FAG BEARING: 803750.10.H195

HUB OEM: 81357010155

**HUB0059**

SUPPLIED WITH FAG BEARING &amp; ABS

**HUBKIT0059****MAN**

SUPPLIED WITH FAG BEARING, ABS RING, HUB BOLTS, BRAKE DISC &amp; STUDS

## Vehicle Applications

|         |       |
|---------|-------|
| MAN TGA | 2000- |
| MAN TGS | 2007- |
| MAN TGX | 2007- |

REAR AXLE



HUBKIT NOT  
CURRENTLY AVAILABLE  
Check [www.winnard.co.uk](http://www.winnard.co.uk)  
for latest availability

**HUB0060NB**

SUPPLIED WITHOUT BEARING

## Specification

|                         |      |
|-------------------------|------|
| (A) OUTER BEARING DIA.: | -    |
| (B) INNER BEARING DIA.: | -    |
| (C) STUD HOLE DIA.:     | -    |
| (D) HEIGHT              | -    |
| (E) OUTER FLANGE DIA.:  | -    |
| WEIGHT                  | - kg |

USES FAG BEARING: TBC

HUB OEM: 23510504 23510504, 23538437, 24534575

**HUB0060**

SUPPLIED WITH FAG BEARING &amp; ABS

**HUBKIT0060****VOLVO**

SUPPLIED WITH FAG BEARING, ABS RING, HUB BOLTS, BRAKE DISC &amp; STUDS

## Vehicle Applications


VOLVO FM, FMX 9 &amp; 10 ton axle

FRONT AXLE



HUBKIT NOT  
CURRENTLY AVAILABLE  
Check [www.winnard.co.uk](http://www.winnard.co.uk)  
for latest availability

From November 2024 the Popular range of DAF, RENAULT & VOLVO HUBKITS will be supplied with Wheel Nuts.




FITTED WITH  
**FAG**  
BEARINGS



# WINNARD

## INSTALLATION BULLETIN FOR SCANIA REAR WHEEL HUBS FITTED WITH FAG KHM218248.218210 (FAG0017) TAPPER ROLLER BEARINGS

1. To ensure the correct operation of the bearings it is vital that inner bearing (7) & outer bearing (9) are packed with the vehicle manufacturers recommended grease.
2. The pre-load sleeve (8) **MUST** be fitted. This sleeve prevents torque being transferred to the bearing rollers. Pre-load sleeve part number: 1507770, Winnard HSK0032-1.
3. This bulletin is highlighting the importance of installing the pre-load sleeve and correctly greasing the bearings. When carrying out a hub / wheel bearing replacement it is essential to adhere to the manufacturers installation guidelines and examine the vehicles overall condition.



**FAILURE TO FOLLOW THE INSTALLATION PROCEDURE CAN CAUSE PREMATURE BEARING FAILURE**

Thos. Winnard & Sons Ltd & Winnard France 2024 [www.winnard.co.uk](http://www.winnard.co.uk)  
Original Equipment Manufacturers part numbers are used for reference purposes only and do not imply that their parts will be supplied.

# WINNARD

## TECHNICAL BULLETIN

### DAF 7.5T FRONT / TRAILING WHEEL HUB

Identifying the difference between DAF 7.5 Ton Front Hubs.

#### OLD HUB (PETAL) DESIGN



**WINNARD HUB0003**  
**OEM 1388905, 1391615**  
**USES FAG BEARING 566834.H195**

#### NEW HUB (ROUND) DESIGN



**WINNARD HUB0004**  
**OEM 1818004, 1699327, 2019789**  
**USES FAG BEARING 566074.H195**



**Note:** The O.E. and WINNARD hubs have different wheel flange shapes, and other manufacturers may not always adhere to these designs. Therefore, it is advisable to check the outer bearing diameter to ensure you identify the correct part.

To double-check this, you can measure the outer location diameter of the hub cap.

**HUB0003 is 120 mm - HUB0004 125 mm**

HUB0004, can be fitted in place of HUB0003, if service kit HSK0004 is also installed.

A service kit is also available for HUB0003, our part# HSK0003.


| DESCRIPTION                      | ITEM       | KIT PARTS FOR HUB HUB0003 | KIT PARTS FOR HUB HUB0004 |
|----------------------------------|------------|---------------------------|---------------------------|
| HUB CAP                          | 1          | 1339107                   | 1691965                   |
| O-Ring                           | 2          | 393841                    | 1692506                   |
| Axle Nut                         | 3          | 1396608                   | 1697215                   |
| Locking Plate                    | 4          | 1385327                   | 1692215                   |
| <b>WINNARD SERVICE KIT PART#</b> | <b>1-4</b> | <b>HSK0003</b>            | <b>HSK0004</b>            |

HUB CAP LOCATION DIAMETER

120mm or 125mm



When installing HUB0004, on an old axle, mount the locking plate so that the axle nut (3) fits in the recess.



**OUTER BEARING DIAMETER**  
HUB0003 = 120mm  
HUB0004 = 125mm



# WINNARD

Visit the Winnard web site for the latest Company & Product news: [www.winnard.co.uk](http://www.winnard.co.uk)

**WINNARD**

NEWS VEHICLES PRODUCTS CATALOGUE DOWNLOADS CONTACT ABOUT US

Quick Search Dimension Search Quick Buy Admin Panel Terms & Conditions Your Basket (0) My Account Logout

### Latest Products

[HUBKIT0058](#) (Sep 27, 2024)  
NEW TO RANGE - DAF LF REAR HUBKIT - 1703813 - 8 WHEEL STUD

[HUB0058](#) (Sep 27, 2024)  
NEW TO RANGE - DAF LF REAR HUB WITH FAG BEARING - 1703813 - 8 WHEEL STUD

[HUB0058N0](#) (Aug 31, 2024)  
NEW TO RANGE - DAF LF REAR BARE HUB - 1703813 - 8 WHEEL STUD

[WP1603](#) (Aug 21, 2024)  
NEW TO RANGE - Mitsubishi Canter FE160, FE180 3.0L (2012 to Present) FRONT and REAR

[VO1053](#) (Aug 14, 2024)  
VOLVO BM A20 - A25D FRONT BRAKE DISC PRICE REDUCTION

[WP1605](#) (Jul 12, 2024)  
NEW TO RANGE - Mercedes Benz Vito (W447) - REAR BRAKE PADS

[WP1602](#) (Jul 12, 2024)  
NEW TO RANGE - Mitsubishi Canter Fuso 7.5t (FEB5) 4.9 7C18 - BRAKE PADS

### Product Groups

Select Group... [Go](#)

### Download Catalogues

[Winnard Lined Brake Shoe Kits January 2024-RFS.pdf](#)

[Winnard Hub and Hub Kit Range April 2024.pdf](#)

[Bus,Truck,Trailer,Light Commercial,Industrial](#)

### Recent Vehicles

[Iveco Daily 50C15](#) 2006 → Current

[Iveco Daily 65C11, C13, C14, C17, C18](#) 2006 → Current

[Iveco Eurocargo 75E - With 330mm diameter discs](#) 2007 → Current

[Mercedes Benz Sprinter 308, 309, 310, 311, 312, 313, 314, 315, 316, 318](#) 2018 → Current

[DAF LF 45 Series 12 Ton - Pan 17](#) 2001 → 2005



OE Manufacturers part numbers and names are used for reference purposes only and does not imply that their parts will be supplied.

# WINNARD

## ECE R90 APPROVED BRAKING COMPONENTS

**BRAKE DISCS**

**BRAKE PADS**

**BRAKE DRUMS**

**BRAKE LININGS**

**WEAR LEADS**

**HUBS & HUBKITS**

**BRAKE SHOES & LINED KITS**

**ABS RINGS & FITTING KITS**

**Thos. Winnard & Sons Ltd**

Mangham Road

Barbot Hall Ind Est

Rotherham

UK S62 6EF

Tel: +44 1709 712000

Email: [sales@winnard.co.uk](mailto:sales@winnard.co.uk)

**UK**



**FRANCE**

**Winnard France SAS**

12 Rue des Tourneballets

28110 Lucé FRANCE

Tel: +33 234400401

Email: [commande@winnard.fr](mailto:commande@winnard.fr)



**ECE R90 APPROVED**

**DESIGNED & TESTED IN THE UK**